

MULTI-FAMILY SOLUTIONS 2017|2018

We make the difference for multi-family professionals.

We offer our innovations in a breadth of styles and finishes that can realize the vision of your design, construction or facility team and fit the look of any multi-family housing. And our product warranties and sales force make your job easier by providing support before, during and after construction. In the end, your tenants will receive a distinctive experience that enhances their interactions with water, transforms their daily lives—and helps your housing stand apart.

We lead our industry in identifying and meeting consumer needs—creating new styles and finishes for faucets and accessories, and inventing innovative technologies that capture clients' imaginations.









Raising tenants' expectations while lowering water use.

As industry leaders in sustainability, we're constantly exp new ways to minimize water usage-without diminishing rejuvenating experience our products provide.

WaterSense[®] Sustained Excellence Award.

To protect and conserve our nation's water supply, we have long partnered with the EPA WaterSense Program. Honored as the EPA's Manufacturer Partner of the Year in 2011, 2013 and 2014, we are profoundly proud of being named a two-time WaterSense Sustained Excellence Award Winner—first in 2015 and again in 2016.

At present, more than 80% of Delta[®] bath suites feature showerheads and handshowers that meet WaterSense requirements—using 20-40% less water than the industry standard.* Our WaterSense-labeled lavatories use 32% less* water, while performing as well or better than their less-efficient counterparts. Moreover, many of our products meet California's stringent Title 20 water-efficiency standards.





*Based on flow rate for showerheads and handshowers of 1.5 gpm or 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm; and flow rate for lavatory faucets of 1.2 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm.

)	lor	ir	١g	
	the	(D		

INNOVATIVE SOLUTIONS
KITCHEN 8
LAVATORY10
BATH COLLECTIONS 12
Ara® Bath Collection
Compel [®] Bath Collection
Trinsic [®] Bath Collection16
Ashlyn [®] Bath Collection
SHOWERHEADS 20
ACCESSORIES 22
PUBLIC SPACES 24
RESOURCES 26

Innovations that make tenants' experiences more memorable.

H₂Okinetic[®] Showers.

The feeling of more water. Without using more water. H2Okinetic Showers sculpt water into a unique wave pattern that delivers more warmth, more intensity and 3X the coverage*—all while saving water. It's a drenching, spa-like experience tenants will enjoy and stay for.

*Coverage measured in accordance with EPA WaterSense® Specification for Showerheads, March 4, 2010.



Touch₂O[®] and Touch₂O_{.xt[®]} Technologies.

Sometimes, their hands could use a hand. Touch₂O Technology starts water flowing with a light tap anywhere on the spout or handle. Touch₂O_{.xt} Technology starts the water when hands get within four inches of the product, and stops when hands are removed. Both technologies bring convenience to your tenants, and are ADA-compliant.



MultiChoice[®] Universal Valve.

Get maximum flexibility with minimum effort. Installing the Delta® MultiChoice Universal Valve makes it easier to upgrade style and functionality later, without changing plumbing behind the wall. A high-flow rough for shower-only configurations adds even more flexibility, while a refined temperature limit stop allows more precise settings for greater tenant comfort.



MagnaTite[®] Docking.

Stays put every time. With its powerful integrated magnet, Delta MagnaTite docking snaps spray wands precisely into place for easy, smooth docking every time. The firm hold of the magnet prevents drooping for a lasting picture-perfect look, but comes free with a gentle tug to give tenants complete flexibility.




DIAMOND[™] Seal Technology.

Innovation and reliability in one convenient box. Delta faucets with DIAMOND Seal Technology perform like new for life with a patented design which reduces leak points, is less hassle to install and lasts twice as long as the industry standard.*


*Industry standard is based on ASME A112.18.1 of 500,000 cycles.

Proximity[®] Sensing Technology.

The next generation in hands-free functionality. Proximity Sensing Technology makes Delta electronic faucets the most responsive in the industry. The entire faucet body acts as a sensor, activating water flow when users approach and stopping once their hands are removed. And the lack of an exposed sensor reduces the risk of sensor damage from vandalism or cleaning products.



Sprav	Patterns:
Shrav	Patterns
opiuj	



🕅 = Full Spray with Massage


= High-Efficiency Spray








Proximity Sensing Technology



 $\mathcal{E}_{\Lambda} = ADA$ -Compliant Product

🔨 = Compliant with all federal and state drinking water legislation.

B125.1 of 2.2 gpm. Lavatory Faucets: flow rate of 1.2 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Showerheads and Handshowers: flow rate of 1.5 or 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.









400-DST

with Sprayer







Trinsic[®] Pro Single-Handle Pull-Down 9659-DST

1 or 3-hole installationOrder RP64070 for order Kr occorrono
 optional escutcheon
 Finishes: Chrome, AR, KS n 🖤 🖇 🍁 🖪 🗹



Mateo[®] Single-Handle Pull-Down 9183-DST

1 or 3-hole installation
Order RP81914 for optional escutcheon Finishes: Chrome, AR, RB



Classic Single-Handle

4-hole installationFinishes: Chrome, SS





Trinsic Single-Handle Pull-Down 9159-DST

1 or 3-hole installationOrder RP64070 for optional

escutcheon Finishes: Chrome, AR, BL, CZ





Esque[™] Single-Handle Pull-Down 9181-DST

- 1 or 3-hole installationOrder RP47274 for optional
- escutcheon Finishes: Chrome, AR, BL, RB





Foundations[®] Single-Handle Pull-Out B4310-LF

- 1 or 3-hole installation
- Optional escutcheon included
 Finishes: Chrome, SS





Arctic[®] Stainles

B

Additional products are available. Visit deltafaucet.com

The products on this page are shown in Chrome.











Classic 4" Centerset 520-DST

Section by CSA Group

દ 🔇

3-hole installationFinishes: Chrome, SS





Lahara[®] 4" Centerset 2538-MPU-DST





3-hole installationFinishes: Chrome, RB, SS



Contemporary Single-Hole 559LF-PP

1 or 3-hole installation
 Order RP78359 for optional escutcheon
 Finishes: Chrome, SS





Foundations[®] 4" Centerset B2510LF-PPU 3-hole installationFinish: Chrome





Ashlyn[®] 4" Centerset 2564-MPU-PPU





Contemporary Single-Hole 567LF-PP

- 1 or 3-hole installation
 Order RP78358 for optional escutcheon
 Finishes: Chrome, SS





Classic 4" Centerset 2523LF-MPU

3-hole installation Finishes: Chrome, SS





Ara[®] 8" Widespread 3567-MPU-DST

- 3-hole installationFinishes: Chrome, BL, SS





Additional products are available. Visit deltafaucet.com

The products on this page are shown in Chrome.

11

ARA[®] BATH COLLECTION






Additional products and flow rates are available. Visit deltafaucet.com/ara

The products on these pages are shown in Chrome.

567LF-MPU Shown in Chrome





COMPEL[®] BATH COLLECTION





Single-Hole Vessel 761-DST 1-hole installation







Monitor[®] 14 Series Tub & Shower with H₂Okinetic[®] Raincan Showerhead T14461 R10000-UNWS (not shown)

2.0 gpm showerhead @ 80 psi
 Self-cleaning H₂Okinetic spray holes

💽 🛃 🙀



3561-SSMPU-DST Shown in Brilliance® Stainless











Monitor 17 Series Tub & Shower with H₂Okinetic Raincan Showerhead T17461 R10000-UNWS (not shown)

2.0 gpm showerhead @ 80 psi
 Self-cleaning H₂Okinetic spray holes



Additional products and flow rates are available. Visit deltafaucet.com/compel

The products on this page are shown in Chrome.



TRINSIC[®] BATH COLLECTION

TITITITITI

٢



559LF-MPU, 759460, 75950, 75918



Single-Hole 559LF-MPU

1 or 3-hole installationOptional escutcheon included

T14459 R10000-UNWS (not shown) 2.0 gpm showerhead @ 80 psi
 Self-cleaning H₂Okinetic spray holes



💽 🛃 🙀

Single-Hole Vessel 759-DST

1-hole installation





3-hole installation







Monitor 17 Series Tub & Shower with H₂Okinetic Raincan Showerhead T17459

R10000-UNWS (not shown)

2.0 gpm showerhead @ 80 psi
 Self-cleaning H₂Okinetic spray holes



Matte Black-BL

Champagne Bronze[™]−CZ

Venetian Bronze®_RB

Brilliance[®] Stainless-

TRINSIC BATH COLLECTION



Additional products and flow rates are available. Visit deltafaucet.com/trinsic

The products on this page are shown in Chrome.

ASHLYN[®] BATH COLLECTION









Monitor[®] 14 Series Tub & Shower T14464 R10000-UNWS (not shown)

2.0 gpm showerhead @ 80 psi
 Touch-Clean[®] showerhead



<u>ка</u> в



Additional products and flow rates are available. **Visit deltafaucet.com/ashlyn**

The products on this page are shown in Chrome.



3-hole installation








Monitor 17 Series Tub & Shower T17464 R10000-UNWS (not shown)

2.0 gpm showerhead @ 80 psiTouch-Clean showerhead



ASHLYN BATH COLLECTION





H₂Okinetic 5¹/₂" Raincan

Single Setting
1.5 gpm @ 80 psi
Finishes: Chrome, BL, RB, SS



H₂Okinetic Water-Efficient Showerhead

5 Setting
2.0 gpm @ 80 psi; 1.5 gpm also available
Finishes: Chrome, BL, CZ, PN, RB, SS





Water-Efficient Showerhead





H₂Okinetic In2ition Shower

2.5 gpm @ 80 psi Finishes: Chrome, BL, CZ, RB, SS





H₂Okinetic Water-Efficient Showerhead 52658-PK

Single Setting
1.5 gpm @ 80 psi
Finishes: Chrome, SS





Water-Efficient Showerhead 52653-PK

- Single Setting
 1.5 gpm @ 80 psi
 Finishes: Chrome, SS
- **()**



6" Raincan Showerhead RP61181

- Single Setting
 2.0 gpm @ 80 psi
 Finishes: Chrome, BN, OB



Additional styles and flow rates are available. **Visit deltafaucet.com**

All products on this page are shown in Chrome and come without shower arm and flange, unless otherwise noted.

ACCESSORIES











18" Transitional Decorative ADA Grab Bar 41718

- Supports up to 500 lbs. when properly installed
 Other lengths available
 Finishes: Chrome, CZ, RB, SS

F



41824



Décor Assist[™] Contemporary Double Towel/Assist Bar 41519

- 24" length Supports loads exceeding
 250 lbs. when properly installed
 Finishes: Chrome, CZ, RB, SS



Décor Assist Contemporary Tissue Holder/Assist Bar 41550

- 6" length Supports loads exceeding
- 250 lbs. when properly installed Finishes: Chrome, CZ, RB, SS

■ 1" diameter Concealed mounting ■ 5" bow

42205-ST



41516



Spring-Loaded Tissue Holder 77250

Extends 3-3/4" from wall
Mounting hardware included
Finishes: Chrome, SS



12" Traditional Decorative ADA Grab Bar 41612

- Supports up to 500 lbs. when properly installed
 Other lengths available
 Finishes: Chrome, CZ, PN, RB, SS

F



24" Contemporary Decorative ADA Grab Bar

Supports up to 500 lbs. oupports up to ocor lost
when properly installed
Other lengths available
Finishes: Chrome, CZ, RB, SS



36" Angular Modern Decorative ADA Grab Bar 41936

- Supports up to 500 lbs.

- when properly installed
 Other lengths available
 Finishes: Chrome, CZ, PN, RB, SS





Décor Assist Contemporary Corner Shelf/Assist Bar

 Supports loads exceeding 250 lbs. when properly installed Finishes: Chrome, CZ, RB, SS

5' Adjustable Curved Shower Rod

Finishes: Stainless, Bright Stainless

For additional product styles and sizes, visit deltafaucet.com

The products on this page are shown in Chrome and Bright Stainless.





Polished Nickel-PN

Bro tian ze®

양 짝 앉







40124-SS

1-1/2" x 24" Grab Bar

8" Center Wall Mount Service Sink Faucet 28T9 Includes integral stops In-line vacuum breaker with garden-hose end

 Metal cross handles Finish: Rough Chrome F

Concealed mounting—hardware included 3" diameter flanges
For persons up to 500 pounds
Finishes: PS, SS F



Exposed Electronic Water Closet Flush Valve 81T201HWA

- Featuring H₂Optics[®] Sensing Technology Chloramine-resistant diaphragm
- Electronic override button
- Scratch-resistant replaceable lens window





Single-Hole Faucet with ASSE 1070 Thermostatic Mixing Valve DEMD-611LF

- Battery operation
- Above-deck solenoid and below-deck battery
- Integrated above-deck thermostatic mixing valve
- Standard infrared sensing
 Optional 4" coverplate
- Finish: Chrome



ک الح 🔇









PUBLIC SPACES





Recessed Paper Holder with Plastic Roller 45070-ST

- Plastic spring-activated roller
 Twin side-by-side model available
 Finish: Bright Stainless



Single-Hole Single-Inlet Faucet 590LF-LGHGMHDF

- Featuring H₂Optics Sensing Technology Battery operation
- Metal construction
- 0.5 vandal-resistant laminar outletFinish: Chrome



1 or 3-hole installation Optional escutcheon included Rigid spout with metal lever handle Finishes: Chrome, SS



Single-Hole Electronic Soap Dispenser DESD-250

- Non-metal, low profile spout
- Standard 800 ml soap bottle
- Standard infrared sensing
- Fits on decks up to 2" thick LED indicators: Yellow = low battery; Red = low soap
- Battery operationHardwire kit available for field conversion Finish: Chrome



F

For additional options, visit specselect.com

Products on this page are shown in Chrome, Rough Chrome, Bright Stainless and Brilliance[®] Stainless.


Want more information?

We'll be happy to accommodate you.

deltafaucet.com

Check our continually-updated website for new innovations, new products and more.

- Browse by room, price or model number
- Select finishes and accessories
- Find installation tips and tutorials
- Keep up on product news



Inspired Pro

Visit deltafaucet.com/inspiredpro to find transformative tips, trends and tools for the trade. We'll catch you up on the industry's latest styles-and help you use them to refresh your tenants' rooms and your facilities' public spaces.





Connecting the Design Dots with Design Forecaster Sarah Reep

Safety and Style



Universal Design Combines



Modern Design (In)Trinsic® to Bath Collection



You can keep on researching our products anytime, from anywhere. All you need is our electronic catalog.

And you can get it right now, by downloading the free Delta[®] Catalog app for iOS and Android.[™]

You can also access the mobile version of our website, by visiting deltafaucet.com on your smartphone or tablet.

Android[™] is a trademark of Google, Inc.

Delta is committed to sustainability and providing smart water delivery solutions that maximize water savings without sacrificing comfort and convenience. Our commitment to sustainability extends to waste reduction and the preservation of natural resources and the environment. That's why we choose to print on Forest Stewardship Council (FSC) certified paper.



A MASCO COMPANY

Delta Faucet Company 55 E. 111th St., P.O. Box 40980 Indianapolis, IN 46280

Masco Canada Limited 350 S. Edgeware Rd. St. Thomas, Ontario N5P 4L1

deltafaucet.com 800.345.DELTA (3358)

©2017 Delta Faucet Company DL-1987 04/17