

USER'S GUIDE



see what Delta can do™

Touch2O™ Technology.
Touch it on. Touch it off.




Exclusive MagnaTite™ docking engages the wand to its docked position, keeping it securely in place.

Activate Touch₂O™ Technology anywhere on the faucet or handle.



Pull-down spray wand with push-button mode change (spray and aerated).

Handle adjusts the flow rate and temperature.



Coordinating soap dispenser available for 3-hole installations.



Available with 2- or 3-hole installation, Chrome or Brilliance® Stainless.

This is the moment your forearm has been waiting for. Touch₂O™ Technology.

You're sure to fall in love with Touch₂O Technology with just one touch. The intuitive technology enables you to turn the faucet on and off with just a touch—anywhere on the faucet's body or handle.

Pilar® with Touch₂O Technology is a beautiful kitchen faucet that coordinates with any décor and provides all the convenient functionality Touch₂O Technology has to offer. And because Pilar is also a pull-down, you get the added convenience of directing water where you want it. A touch of a button changes the water flow from spray to aerated mode. Pilar also features Delta's exclusive DIAMOND™ Seal Technology for worry-free, leak-free, lasting durability.



Making faucets easier to use with just a touch. Another way that Delta® is more than just a faucet.

3 Efficient

Touch₂O Technology enables you to turn on and off the faucet with just a tap, making kitchen tasks easy during food prep and cleanup.

4 Stylish

Inspired by the fusion of technology and nature, Pilar with Touch₂O Technology not only performs to fit your life, its look matches your lifestyle.

2 Clean

When hands get messy, you can start the flow of water with a forearm or wrist, minimizing cross-contamination.

5 Water Efficient

The tap feature makes it easier to turn off the water flow when not needed between tasks, saving water.

1 Simple

A simple tap anywhere on the spout or handle intuitively turns the faucet on and off.



How to use Touch2O™ Technology.



How to manually turn on/off and adjust water temperature and flow.

Start the flow of water by turning the handle to the ON position. Adjust temperature and flow to the desired setting like a traditional single-handle faucet.



How to use the touch feature.

With the handle in the ON position, tap anywhere on the spout body or handle to turn water flow on or off. To move the spout without activating water flow, simply grasp the spout (do not tap) and move to the desired location.



How to use the MagnaTite™ pull-down spray wand.

Grasp the spray wand and pull it down to direct the spray of water. Push the button on the back of the wand to change the water flow (aerated/spray). Tapping the spout will turn the water off/on. To secure the wand, simply return the wand to its docked position.

Pilar® with Touch2O Technology smart features:

- Smart design enables you to tap anywhere on the spout or handle to turn faucet on/off.
- Tap feature helps reduce the spread of germs and bacteria.
- DIAMOND™ Seal Technology provides long-lasting performance.
- Auto shut-off feature activated after four minutes contributes to water savings.
- Intuitive technology allows you to grasp the spout and move to desired location without turning water on.
- LED light indicates red when batteries need changed and blue when the touch feature is activated.
- MagnaTite docking keeps the wand securely in place.
- Easy-fill soap dispenser allows you to conveniently refill the soap from above the sink.



Helpful hints.

- Spout response time is not instantaneous. To avoid water hammer or loud clanking sound, there is a slower on/off rhythm.
- LED light indicates blue when the touch feature is activated. If the handle is on, water will flow. If the handle is off, simply tap the spout or handle to turn off the light.
- When battery life begins to expire, the LED will start blinking red. After a period of time if the batteries have not been changed, the touch feature will not operate, and the faucet can only be operated manually.
- Touching Pilar® on the underside of the spout or with the back of your hand prevents leaving water marks or fingerprints.
- After every use, it's always best to wipe dry with a soft cloth to prevent water spotting and mineral buildup.
- To remove hard water deposits, use a 50/50 mix of vinegar and water or Liquid Lysol® and water.



Before you call.

Symptom	Possible cause	Things to check
Handle or spout not responding to touch	<ul style="list-style-type: none"> • Low batteries • Grounding clips not connected (<i>Grounding is not required on Pilar faucets manufactured after February, 2009. If the solenoid does not have a green grounding wire, it does not need to be grounded.</i>) • Spout is in electrical contact with the sink • The valve is not turned on • Proper touch contact is not being made with the faucet • Unit needs reset 	<ul style="list-style-type: none"> • Check batteries/power • Ensure ground clips are properly installed as per M&I; ground to the electrical or plumbing line • Make sure electrical connections are made according to M&I • Ensure spout insulating elements are in place; ensure proper grounding • Make sure the handle is in the ON position, and the power is available • Make sure the touch is not too long or too short; make the touch more deliberate like playing a piano; do not use fingernails or a dry cloth to touch • Reset unit by disconnecting the battery; wait 30 seconds and re-connect battery
Faucet turns on and off by itself	<ul style="list-style-type: none"> • Grounding clips not installed properly (<i>Grounding is not required on Pilar faucets manufactured after February, 2009. If the solenoid does not have a green grounding wire, it does not need to be grounded.</i>) • Spout is in electrical contact with the sink • It is normal operation for the faucet to shut itself off after 4 minutes if there is no activity 	<ul style="list-style-type: none"> • Make sure grounding clips have not been bumped off with use; ensure they are in proper place and secured with tape; ground to the electrical or plumbing line • Ensure spout insulating elements are in place
LED does not come on	<ul style="list-style-type: none"> • No power or batteries are low 	<ul style="list-style-type: none"> • Check batteries
Cross-flow of hot and cold water (<i>Hot water comes out of cold and/or cold comes out of hot.</i>)	<ul style="list-style-type: none"> • Check valves not installed properly on the supply lines 	<ul style="list-style-type: none"> • Check valve installation

Delta brand statement.

At the heart of Delta® is a belief that there is a better way to live with water. It goes beyond excellent design to incorporate smart thinking that anticipates people's needs. From a magnetic docking spray wand that stays put, to a DIAMOND™ Valve that contributes to leak-free, lead-free,* worry-free performance, Delta is always incorporating thoughtful features that delight. When paired with beautiful, inspirational design, it's another way that Delta is more than just a faucet.

*Once inside the faucet, water is not in contact with potential metal contaminants.



see what Delta can do™

A MASCO COMPANY

Delta Faucet Company
55 E. 111th St., P.O. Box 40980
Indianapolis, IN 46280

Masco Canada Limited, Plumbing Group
395 Matheson Blvd. East
Mississauga, Ontario L4Z 2H2

deltafaucet.com/touch
800.345.DELTA (3358)

©2009 Masco Corporation of Indiana
DL-1675 07/09



Delta® is committed to sustainability and providing smart water delivery solutions that maximize water savings without sacrificing comfort and convenience. Our commitment to sustainability extends to waste reduction and the preservation of natural resources and the environment. That's why we print on Forest Stewardship Council (FSC) certified paper made with renewable energy.