



INNOVATIVE TOOLS FOR MAXIMUM PERFORMANCE



SAW BLADES

FINE TRIM AND DELICATE MOLDING

ULTIMATE POLISHED FINISH



POLISHING TOOTH DESIGN
Delivers 220 Grit Polished Finish
No Sanding Required



AXIAL SHEAR FACE™ GRIND (ASFG)
Tooth face is angled to cleanly shear through the material





ULTRA THIN KERF DESIGN
Cut from Hardcore™ Steel with high precision lasers for fast effortless cuts



PRECISION SHEAR™ POINT
High degree alternate top bevel tooth geometry for less tear out

CUTS THESE MATERIALS



CABINETS AND FURNITURE

ULTRA FINISH AND FINE FINISH BLADES



TICO™ HI-DENSITY CARBIDE
Hi-Density carbide with Titanium & Cobalt for long cutting life



PERMA-SHIELD® NON-STICK COATING
For less drag, gumming, & corrosion




LASER CUT STABILIZER VENTS
Absorb noise and vibration to prevent sideways movement

CUTS THESE MATERIALS



RIPPING & CROSSCUTTING

GENERAL PURPOSE & COMBINATION BLADES



TICO™ HI-DENSITY CARBIDE
Hi-Density carbide with Titanium & Cobalt for long cutting life



LASER CUT STABILIZER VENTS
Absorb noise and vibration to prevent sideways movement



4+1 ALTERNATE TOP BEVEL (ATB) + FLAT RAKER TOOTH COMBINATION
For better rips & finer finish

GENERAL PURPOSE CUTS THESE MATERIALS



COMBINATION CUTS THESE MATERIALS



ITEM #	DIAM.	MACHINE USE	APPLICATION	TEETH	ARBOR
D0424X	4-1/2"	4-1/2" Circular Saw	Framing	24 ATB	3/8"
D0436X	4-3/8"	Trim Saw (20mm & 3/8" Arbor)	Finish	36 ATB	20mm
D0516X	5-3/8"	Trim Saw (10mm Arbor)	Fast Framing	16 ATB	10mm
D053818WMX	5-3/8"	Trim Saw (5/8", 1/2", 10mm & 20mm Arbor)	Fast Framing	18 ATB	20mm
D055018WMX	5-1/2"	Trim Saw (5/8", 1/2", 10mm & 20mm Arbor)	Fast Framing	18 ATB	20mm
D0524X	5-3/8"	Trim Saw (10mm Arbor)	Framing	24 ATB	10mm
D0536X	5-3/8"	Trim Saw (10mm Arbor)	Finish	36 ATB	10mm
D0620X	6"	Porter-Cable Saw Boss	Framing	20 ATB	1/2"
D0632GPX/A	6-1/2"	6-1/2" Circular Saw	Multi Material	32 ATB	5/8" <>
D0640X	6"	Porter-Cable Saw Boss	Finish	40 ATB	1/2"
D0660X/A	6-1/2"	6-1/2" Circular Saw	Ultra Fine Finish	60 ATB	5/8" <>
D0624X/A	6-1/2"	6-1/2" Circular Saw	Framing	24 TPA	5/8" <>
D0624DA	6-1/2"	6-1/2" Circular Saw	Framing & Demolition	24 ATB	5/8" <>
D0641X	6-1/2"	6-1/2" Circular Saw	Finish & Plywood	40 ATB	5/8" <>
D0724W	7-1/4"	7-1/4" Worm Drive Circular Saw	Framing	24 TP/ATB	<>
D0724X/A	7-1/4"	7-1/4" Circular Saw	Framing	24 TP/ATB	5/8" <>
D0724DA	7-1/4"	7-1/4" Circular Saw	Framing & Demolition	24 TPA	5/8" <>
D0736GPX/A	7-1/4"	7-1/4" Circular Saw	Multi Material	36 ATB	5/8" <>
D0740X/A	7-1/4"	7-1/4" Circular Saw	Finish	40 ATB	5/8" <>
D0760X/A	7-1/4"	7-1/4" Circular Saw	Ultra Fine Finish	60 ATB	5/8" <>
D0824X	8" - 8-1/4"	8-1/4" Circular Saw	Framing	24 ATB	5/8" <>
D0840X	8" - 8-1/4"	8-1/4" Circular Saw	Finish	40 ATB	5/8" <>
D0840S	8-1/2"	8-1/2" Miter/Slide Miter Saw	General Use	40 ATB	5/8"
D0860S	8-1/2"	8-1/2" Miter/Slide Miter Saw	Fine Finish	60 ATB	5/8"
D1024X	10"	10" Table Saw	Ripping	24 ATB	5/8"
D1030X	10"	10" Table Saw	Plywood Ripping	30 TP/ATB	5/8"
D1040X/A	10"	10" Chop Miter Saw, Table Saw	General Use	40 ATB	5/8"
D1040W	10-1/4"	10-1/4" Beam Saw (BIG FOOT®)	Gen Purpose Beam Cutting	40 ATB	5/8" <>
D1050X	10"	10" Chop Miter Saw, Table Saw	Combination	50 ATB	5/8"
D1060S	10"	10" Slide Miter Saw	Fine Finish	60 ATB	5/8"
D1060X	10"	10" Chop Miter Saw, Table Saw	Fine Finish	60 Hi-ATB	5/8"
D1080X	10"	10" Chop/Slide Miter Saw, Table Saw	Ultra Fine Finish	80 Hi-ATB	5/8"
D1090X	10"	10" Chop/Slide Miter Saw, Table Saw	Ultimate Polished Finish	90 ASFG	5/8"
D1244X	12"	12" Chop/Slide Miter Saw	General Use	44 ATB	1"
D1260X	12"	12" Chop/Slide Miter Saw	Combination	60 COMB	1"
D1280X	12"	12" Chop/Slide Miter Saw	Fine Finish	80 Hi-ATB	1"
D12100X	12"	12" Chop/Slide Miter Saw	Ultimate Polished Finish	100 ASFG	1"
D1484X	14"	14" Chop Miter Saw	Fine Finish	84 ATB	1"
D1632X	16-5/16"	16-5/16" Beam Saw	Gen Purpose Beam Cutting	32 ATB	1"
D1660X	16-5/16"	16-5/16" Beam Saw	Fine Finish Beam Cutting	60 ATB	1"

<> = Diamond Arbor. Item numbers ending in "X" are individually packaged. Item numbers ending with "A" are available in bulk packs. ATB = Alternate Top Bevel Tooth Design for a Superior Quality Finish Hi-ATB = High Alternate Top Bevel Tooth Design for a Flawless Finish

<> = Diamond Arbor TP = Tracking Point | TPA = Tracking Point Amped

METALS


STEEL DEMON[™] FOR BURR-FREE CLEAN CUTS

For **40X** Longer Life



NEXT GENERATION CERMET

Lasts up to 40X longer than standard carbide in metal cutting applications



LASER-CUT STABILIZER VENTS

Trap noise and vibration stabilize the blade, delivering cool & accurate cuts



TiCo[™] HI-DENSITY CARBIDE

Withstands impact, reduces wear, and lasts longer than standard carbide in metal cutting applications



PERMA-SHIELD[®] COATING

Non-stick aluminum alloy coating shields and blade against heat, and corrosion




LASER-CUT BODY

Precise, high strength steel blade for ultimate life and precision



TRIPLE CHIP METAL CUTTING GRIND

Design to maximize life, speed, and durability, giving burr-free cuts in metal cutting applications



FOR CUTTING MILD STEEL, STEEL STUDS, ANGLE IRON, FLAT BAR, EMT CONDUIT, ALL-THREAD

WITH CERMET II CARBIDE TEETH FOR **40X** LONGER CUTTING LIFE (EXCELLENT IN STAINLESS STEEL)


ITEM #	DIAM.	TEETH	MACHINE USE	PLATES & BARS (Thickness)	RODS (Diameter)	ARBOR
D0748CF/A	7 1/4"/182mm	48 TCG	7" Circular Saw - 5800 Max RPMs	1/8" (11 gauge) min 1/2" max	1/4" min 1-1/2" max	5/8" <>
D0842CF	8"/203mm	42 TCG	8" Circular Saws - 4300 Max RPMs	1/8" (11 gauge) min 1/2" max	1/4" min 1-1/2" max	5/8" <>
D0946CF	9"/229mm	46 TCG	9" Steel Cutting Saws - 3600 Max RPMs	1/8" (11 gauge) min 1/2" max	1/4" min 1-1/2" max	1"
D1050CF	10"/254mm	50 TCG	10" Steel Cutting Saws - 3000 Max RPMs	1/4" (11 gauge) min 1" max	1/2" min 2" max	1"
D1260CF	12"/305mm	60 TCG	12" Steel Cutting Saws - 1800 Max RPMs	1/4" (11 gauge) min 1" max	1/2" min 2" max	1"
D1280CF	12"/305mm	80 TCG	12" Steel Cutting Saws - 1800 Max RPMs	1/8" (11 gauge) min 1/2" max	1/4" min 1-1/2" max	1"
D1472CF	14"/356mm	72 TCG	14" Steel Cutting Saws - 1800 Max RPMs	1/4" (11 gauge) min 1" max	1/2" min 2" max	1"
D1490CF	14"/356mm	90 TCG	14" Steel Cutting Saws - 1800 Max RPMs	1/8" (11 gauge) min 1/2" max	1/4" min 1-1/2" max	1"

WITH TiCo[™] HI-DENSITY CARBIDE TEETH FOR LONG CUTTING LIFE


ITEM #	DIAM.	TEETH	MACHINE USE	STUDS & TUBING (Wall Thickness)	PLATES & BARS (Thickness)	RODS (Diameter)	ARBOR
D053830FMX	5-3/8"/137mm	30 TCG	5-3/8" Circular Saws	1/16" min 1/8 max	1/16" min 1/8 max	1" or smaller	5/8", 1/2", 10mm & 20mm
D055030FMX	5-1/2"/140mm	30 TCG	5-1/2" Circular Saws	1/16" min 1/8 max	1/16" min 1/8 max	1" or smaller	5/8", 1/2", 10mm & 20mm
D0632GP	6-1/2"/165mm	32 TCG	6-1/2" Circular Saws	1/16" min 2-1/4" max	1/16" min 1/4" max	1/4" - 1"	5/8"
D0648F	6-1/2"/165mm	48 TCG	6-1/2" Circular Saws	1/32" min 1/4" max	1/16" min 1/4" max	1" or smaller	5/8" <>
D0649F	6-3/4"/172mm	48 TCG	6-3/4" Circular Saws	1/32" min 1/8" max	1/16" min 1/4" max	1" or smaller	20mm
D0736GP	7-1/4"/184mm	36 TCG	7-1/4" Circular Saws	1/16" min 2-1/4" max	1/16" min 1/4" max	1/4" - 1"	5/8"
D0738FM	7"/180mm	38 TCG	For Evolution®, Jancy®, Morse® & Similar Metal Cutting Saws	1/8" min 3/8" max	1/8" min 3/8" max	1-1/2" or smaller	20mm
D0748FM	7"/180mm	48 TCG	For Evolution®, Jancy®, Morse® & Similar Metal Cutting Saws	1/16" min 1/4" max	1/16" min 1/4" max	1" or smaller	20mm
D0770FM	7"/180mm	70 TCG	For Evolution®, Jancy®, Morse® & Similar Metal Cutting Saws	1/64" min 1/8" max	1/64" min 1/8" max	1/4" or smaller	20mm
D0738F	7-1/4"/184mm	38 TCG	7-1/4" Circular Saws	1/8" min 3/8" max	1/8" min 3/8" max	1-1/2" or smaller	5/8" <>
D0756F	7-1/4"/184mm	56 TCG	7-1/4" Circular Saws	1/16" min 1/4" max	1/16" min 1/4" max	1" or smaller	5/8" <>
D0770F	7-1/4"/184mm	70 TCG	7-1/4" Circular Saws	1/64" min 1/8" max	1/64" min 1/8" max	1/4" or smaller	5/8" <>

<> = Diamond Arbor

TCG = Triple Chip Grind Tooth Design for Superior Life in Abrasive Materials Use Only on dedicated low RPM metal cutting saws 20mm arbor for specialty metal cutting saws such as Panasonic®, Evolution®, Jancy®, Morse®, & similar metal cutting saws



ALUMINUM, BRASS & PLASTICS



TRIPLE CHIP TOOTH GEOMETRY (TCG)
Designed for clean cuts & maximum cutting life

TiCo™ HI-DENSITY CARBIDE
For long cutting life

CUTS THESE MATERIALS




ITEM#	DIAM.	MACHINE USE	TEETH	ARBOR
D053850NMX	5-3/8"	5-3/8" Circular Saw	50 TCG	5/8", 1/2", 10mm, & 20mm
D055050NMX	5-1/2"	5-1/2" Circular Saw	50 TCG	5/8", 1/2", 10mm, & 20mm
D0552N	5-7/8"	5-7/8" Circular Saw	52 TCG	5/8"
D0654N/A	6-1/2"	6-1/2" Circular Saw	54 TCG	5/8"
D0756N/A	7-1/4"	7-1/4" Circular Saw	56 TCG	5/8" <>
D1060N	10"	10" Chop/Slide Miter Saw, Table Saw	60 TCG	5/8"
D1080N	10"	10" Chop/Slide Miter Saw, Table Saw	80 TCG	5/8"
D10100N	10"	10" Chop/Slide Miter Saw, Table Saw	100 TCG	5/8"
D1084L	10"	10" Chop/Slide Miter Saw, Table Saw	84 TCG	5/8"
D1272N	12"	12" Chop/Slide Miter Saw, Table Saw	72 TCG	1"
D1296N	12"	12" Chop/Slide Miter Saw	96 TCG	1"
D12120N	12"	12" Chop/Slide Miter Saw	120 TCG	1"
D1296L	12"	12" Chop/Slide Miter Saw	96 TCG	1"
D14108N	14"	14" Chop Saw	108 TCG	1"

<> = Diamond Arbor

FIBER CEMENT MATERIALS

HardieBlade™



POLYCRYSTALLINE DIAMOND (PCD) TIPPED
Specially formulated to combat the abrasive properties of fiber cement for exceptional long cutting life—lasts up to 60x longer than regular carbide



SUPER-THIN KERF LASER CUT BLADE
Allows for fast, clean, super-thin cuts that reduce respirable dust generation by up to 50% for a cleaner, safer work place



SPARK ERODED TRIPLE CHIP GRIND (TCG) TOOTH GEOMETRY
Specially designed tooth geometry, created using spark erosion, dramatically increases the cutting life of the blade in all fiber cement products

THE ONLY APPROVED BLADE FOR JAMES HARDIE

CUTS THESE MATERIALS




Only for Fiber Cement Products

ITEM #	DIAM.	MACHINE USE	TEETH	ARBOR
D0604DH/A	6-1/2"	6-1/2" Circular Saw	4 PCD	5/8"
D0704DH/A	7-1/4"	7-1/4" Circular Saw	4 PCD	5/8" <>
D1006DH	10"	10" Miter Saw, Table Saw	6 PCD	5/8"
D1208DH	12"	12" Miter Saws	8 PCD	1"

<> = Diamond Arbor

COMPOSITE DECKING & CELLULAR PVC

TrexBlade



FOR ULTIMATE CUTTING LIFE & QUALITY FINISH



SPECIAL BLEND OF TiCo™ CARBIDE
Specially formulated to maximize cutting life in composite decking materials & plastics



MODIFIED TRIPLE CHIP GRIND (MTCG)
Enables the material to remain cool while cutting for melt-free cuts



LASER-CUT STABILIZER VENTS
Absorb noise & vibration keeping the blade straight & true for superior quality cuts

THE ONLY RECOMMENDED COMPOSITE DECKING BLADE

CUTS THESE MATERIALS



ITEM #	DIAM.	MACHINE USE	TEETH	ARBOR
D0744CD	7-1/4"	7-1/4" Circular Saw	44 MTCG	5/8" <>
D1072CD	10"	10" Chop Miter Saw, Table Saw	72 MTCG	5/8"
D1284CD	12"	12" Chop/Slide Miter Saws	84 MTCG	1"

<> = Diamond Arbor

PRE-FINISHED HARDWOOD, BAMBOO, LAMINATE, ENGINEERED FLOORING

PERGOBlade



POLYCRYSTALLINE DIAMOND (PCD) TIPPED
For up to 75x longer than regular carbide



SPARK ERODED TRIPLE CHIP GRIND (TCG) TOOTH GEOMETRY
Dramatically increases the cutting life of the blade



PERMA-SHIELD® COATING
Shields blade from gumming, heat, and corrosion.

THE ONLY APPROVED BLADE FOR PERGO® LAMINATE FLOORING

CUTS THESE MATERIALS



ITEM #	DIAM.	MACHINE USE	TEETH	ARBOR
D0708LF	7-1/4"	7-1/4" Circular Saw	8 PCD	5/8" <>
D1012LF	10"	10" Miter Saws	12 PCD	5/8"
D1216LF	12"	12" Miter Saws	16 PCD	1"

<> = Diamond Arbor

TO PLACE ORDER, PLEASE CALL: 1.800.334.4107 OR EMAIL: ORDERS@FREUDTOOLS.COM

www.DiabloTools.com


Diablo powered by Freud America, Inc. Red saw blades are a registered trademark of Freud America, Inc. ©2019 Freud America, Inc. All rights reserved. Specifications subject to change without prior notice.



Item #: LITDIABLOSS Print 08-19 0 08925 13275 2

RECIPROCATING SAW BLADES

CARBIDE



WOOD AND GENERAL PURPOSE CUTTING

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0603CP	6"	3 TPI	Clean Wood & Pruning	Single, 3pks, 10pks
DS0903CP	9"	3 TPI	Clean Wood & Pruning	Single, 3pks, 10pks
DS1203CP	12"	3 TPI	Clean Wood & Pruning	Single, 3pks, 10pks
DS0606CW	6"	5/7 TPI	Nail-Embedded Wood	Single, 3pks, 10pks
DS0906CW	9"	5/7 TPI	Nail-Embedded Wood	Single, 3pks, 10pks
DS1206CW	12"	5/7 TPI	Nail-Embedded Wood	Single, 3pks, 10pks
DS0609CGP	6"	6/9 TPI	General Purpose (1/8" to 3/8")	Single, 3pks, 10pks
DS0909CGP	9"	6/9 TPI	General Purpose (1/8" to 3/8")	Single, 3pks, 10pks
DS1209CGP	12"	6/9 TPI	General Purpose (1/8" to 3/8")	Single, 3pks, 10pks

METAL CUTTING

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0620CF	6"	20 TPI	Thin Metal (Less than 1/8")	Single
DS0820CF	8"	20 TPI	Thin Metal (Less than 1/8")	Single
DS0610CF	6"	10 TPI	Medium Metal (1/16" to 5/16")	Single, 3pks, 10pks
DS0910CF	9"	10 TPI	Medium Metal (1/16" to 5/16")	Single, 3pks, 10pks
DS1210CF	12"	10 TPI	Medium Metal (1/16" to 5/16")	Single, 3pks, 10pks
DS0608CF	6"	8 TPI	Thick Metal (3/16" to 9/16")	Single, 3pks, 10pks
DS0908CF	9"	8 TPI	Thick Metal (3/16" to 9/16")	Single, 3pks, 10pks
DS1208CF	12"	8 TPI	Thick Metal (3/16" to 9/16")	Single, 3pks, 10pks

ROUGH-IN/SCROLLING BLADE

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0705CWR3	7-3/8"	5 TPI	Clean & Nail-Embedded Wood	3pk

SPECIALTY




PRUNING AND FLUSH CUTTING WOOD & METAL

ITEM #	LENGTH	TEETH	TOOTH DESIGN	PACKS	APPLICATION
DS0905FG	9"	5 TPI	Fleam Ground	Single & 5pks	Clean Wood & Pruning
DS1205FG	12"	5 TPI	Fleam Ground	Single & 5pks	Clean Wood & Pruning
DS0914AFC	9"	10/14 TPI	Bi-Metal	2pks & 5pks	General Purpose
DS1214AFC	12"	10/14 TPI	Bi-Metal	2pks & 5pks	General Purpose
DS0930DGX	9"	Diamond Grit	Thin Kerf	Single	Masonry, Cast Iron, Fiber Cement,

BI-METAL

BI-METAL for **5X** LONGER LIFE VS. STANDARD BLADES



WOOD CUTTING

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0612BW	6"	6/12 TPI	Nail-Embedded Wood	2pks, 5pks, 15pks, 25pks
DS0912BW	9"	4/6 TPI	Nail-Embedded Wood	2pks, 5pks, 15pks, 25pks, 200pks
DS1212BW	12"	4/6 TPI	Nail-Embedded Wood	2pks, 5pks, 15pks, 25pks
DS0614BGP	6"	8/14 TPI	General Purpose (1/8" to 3/8")	2pks, 5pks, 15pks, 25pks
DS0914BGP	9"	8/14 TPI	General Purpose (1/8" to 3/8")	2pks, 5pks, 15pks, 25pks, 200pks
DS1214BGP	12"	8/14 TPI	General Purpose (1/8" to 3/8")	2pks, 5pk, 15pks, 25pk, 200pk

METAL CUTTING (BI-METAL)

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0608BFD	6"	8/10 TPI	Thick Metal (3/16" to 9/16")	2pks, 5pks, 15 pks, 25pks
DS0908BFD	9"	8/10 TPI	Thick Metal (3/16" to 9/16")	2pks, 5pks, 15pks, 25pks, 200pks
DS1208BFD	12"	8/10 TPI	Thick Metal (3/16" to 9/16")	2pks, 5pks, 15pks, 25pks, 200pks
DS0414BF	4"	14/18 TPI	Medium Metal (1/16" to 5/16")	2pks, 5pks
DS0614BF	6"	14/18 TPI	Medium Metal (1/16" to 5/16")	2pks, 5pks, 15pks, 25pks, 200pks
DS0914BF	9"	14/18 TPI	Medium Metal (1/16" to 5/16")	2pks, 5pks, 15pks, 25pks, 200pks
DS1214BF	12"	14/18 TPI	Medium Metal (1/16" to 5/16")	2pks, 5pks, 15pks, 25pks
DS0614WBF	6"	14/18 TPI	Auto Dismantling	25pks, 200pks
DS0914WBF	9"	14/18 TPI	Auto Dismantling	25pks, 200pks
DS1214WBF	12"	14/18 TPI	Auto Dismantling	25pks, 200pks
DS0620BF	6"	20/24 TPI	Thin Metal Cutting (Less than 1/8")	2pks, 5pks, 15pks, 25pks
DS0920BF	9"	20/24 TPI	Thin Metal Cutting (Less than 1/8")	2pks, 5pks, 15pks, 25pks

HVAC/DUCTWORK

ITEM #	LENGTH	TEETH	APPLICATION	PACKS
DS0332BF5	3-1/4"	32 TPI	Thin Metal Cutting (Less than 1/8")	5pk


SETS



ITEM #	DESCRIPTION	QTY.	LENGTH	TEETH	ITEM #	APPLICATION
DS005SC	Diablo 5pc Set Carbide Teeth	2pc	6"	5/7 TPI	DS0606CWX DS0608CF DS0908CF DS0906CWX	Nail-Embedded Wood Metal Demolition Metal Demolition Nail-Embedded Wood
		1pc	6"	8 TPI		
		1pc	8"	8 TPI		
		1pc	9"	5/7 TPI		
DS006S	Diablo 6pc Set Bi-Metal	1pc	6"	8/10 TPI	DS0608BFD DS0614BF DS0612BW DS0912BW	Nail-Embedded Wood, Metal Metal Demolition Metal Demolition
		2pc	6"	14/18 TPI		
		2pc	6"	6/12 TPI		
		1pc	9"	6/12 TPI		
DS0014S	Diablo 14pc Set Bi-Metal	4pc	6"	14/18 TPI	DS0614BF DS0614BGP DS0612BW DS0912BW DS0914AFC	Nail-Embedded Wood Metal Metal Demolition Metal Demolition Flush Cut
		4pc	6"	8/14 TPI		
		4pc	6"	6/12 TPI		
		1pc	9"	6/12 TPI		
		1pc	9"	10/14 TPI		

DRILLING

HOLE SAWS & ACCESSORIES



CARBIDE HOLE SAWS

ITEM	DESCRIPTION	DIAM.	LENGTH
DHS0875CT	7/8" CARBIDE GP HOLESAW	7/8"	2-3/8" (60mm)
DHS1000CT	1" CARBIDE HOLE SAW	1"	2-3/8" (60mm)
DHS1063CT	1-1/16" CARBIDE HOLE SAW	1-1/16"	2-3/8" (60mm)
DHS1125CT	1-1/8" CARBIDE HOLE SAW	1-1/8"	2-3/8" (60mm)
DHS1250CT	1-1/4" CARBIDE HOLE SAW	1-1/4"	2-3/8" (60mm)
DHS1375CT	1-3/8" CARBIDE HOLE SAW	1-3/8"	2-3/8" (60mm)
DHS1500CT	1-1/2" CARBIDE HOLE SAW	1-1/2"	2-3/8" (60mm)
DHS1625CT	1-5/8" CARBIDE HOLE SAW	1-5/8"	2-3/8" (60mm)
DHS1750CT	1-3/4" CARBIDE HOLE SAW	1-3/4"	2-3/8" (60mm)
DHS1875CT	1-7/8" CARBIDE HOLE SAW	1-7/8"	2-3/8" (60mm)
DHS2000CT	2" CARBIDE HOLE SAW	2"	2-3/8" (60mm)
DHS2125CT	2-1/8" CARIDE HOLE SAW	2-1/8"	2-3/8" (60mm)
DHS2250CT	2-1/4" CARBIDE HOLE SAW	2-1/4"	2-3/8" (60mm)
DHS2375CT	2-3/8" CARBIDE HOLE SAW	2-3/8"	2-3/8" (60mm)
DHS2500CT	2-1/2" CARBIDE HOLE SAW	2-1/2"	2-3/8" (60mm)
DHS2563CT	2-9/16" CARBIDE HOLE SAW	2-9/16"	2-3/8" (60mm)
DHS2625CT	2-5/8" CARBIDE HOLE SAW	2-5/8"	2-3/8" (60mm)
DHS2687CT	2-11/16" CARBIDE HOLE SAW	2-11/16"	2-3/8" (60mm)
DHS2750CT	2-3/4" CARBIDE HOLE SAW	2-3/4"	2-3/8" (60mm)
DHS3000CT	3" CARBIDE HOLE SAW	3"	2-3/8" (60mm)
DHS3125CT	3-1/8" CARBIDE HOLE SAW	3-1/8"	2-3/8" (60mm)
DHS3250CT	3-1/4" CARBIDE HOLE SAW	3-1/4"	2-3/8" (60mm)
DHS3375CT	3-3/8" CARBIDE HOLE SAW	3-3/8"	2-3/8" (60mm)
DHS3500CT	3-1/2" CARBIDE HOLE SAW	3-1/2"	2 3/8" (60mm)
DHS3625CT	3-5/8" CARBIDE HOLE SAW	3-5/8"	2 3/8" (60mm)
DHS3750CT	3-3/4" CARBIDE HOLE SAW	3-3/4"	2 3/8" (60mm)
DHS3875CT	3-7/8" CARBIDE HOLE SAW	3-7/8"	2 3/8" (60mm)
DHS4000CT	4" CARBIDE HOLE SAW	4"	2 3/8" (60mm)
DHS4125CT	4-1/8" CARBIDE HOLE SAW	4-1/8"	2 3/8" (60mm)
DHS4250CT	4-1/4" CARBIDE HOLE SAW	4-1/4"	2 3/8" (60mm)
DHS4500CT	4-1/2" CARBIDE HOLE SAW	4-1/2"	2 3/8" (60mm)
DHS4625CT	4-5/8" CARBIDE HOLE SAW	4-5/8"	2-3/8" (60mm)
DHS4750CT	4-3/4" CARBIDE HOLE SAW	4-3/4"	2-3/8" (60mm)
DHS5000CT	5" CARBIDE HOLE SAW	5"	2-3/8" (60mm)
DHS6000CT	6" CARBIDE HOLE SAW	6"	2-3/8" (60mm)

BI-METAL HOLE SAWS

ITEM	DESCRIPTION	DIAM.	LENGTH
DHS0563	9/16" HOLE SAW	9/16"	1-5/8" (42mm)
DHS0625	5/8" HOLE SAW	5/8"	1-5/8" (42mm)
DHS0688	11/16" HOLE SAW	11/16"	1-5/8" (42mm)
DHS0750	3/4" HOLE SAW	3/4"	2-3/8" (60mm)
DHS0781	25/32" HOLE SAW	25/32"	2-3/8" (60mm)
DHS0813	13/16" HOLE SAW	13/16"	2-3/8" (60mm)
DHS0875	7/8" HOLE SAW	7/8"	2-3/8" (60mm)
DHS0938	15/16" HOLE SAW	15/16"	2-3/8" (60mm)
DHS1000	1" HOLE SAW	1"	2-3/8" (60mm)
DHS1063	1-1/16" HOLE SAW	1-1/16"	2-3/8" (60mm)
DHS1125	1-1/8" HOLE SAW	1-1/8"	2-3/8" (60mm)
DHS1188	1-3/16" HOLE SAW	1-3/16"	2-3/8" (60mm)

BI-METAL HOLE SAWS (CONT.)

ITEM	DESCRIPTION	DIAM.	LENGTH
DHS1250	1-1/4" HOLE SAW	1-1/4"	2-3/8" (60mm)
DHS1312	1-5/16" HOLE SAW	1-5/16"	2-3/8" (60mm)
DHS1375	1-3/8" HOLE SAW	1-3/8"	2-3/8" (60mm)
DHS1438	1-7/16" HOLE SAW	1-7/16"	2-3/8" (60mm)
DHS1500	1-1/2" HOLE SAW	1-1/2"	2-3/8" (60mm)
DHS1563	1-9/16" HOLE SAW	1-9/16"	2-3/8" (60mm)
DHS1625	1-5/8" HOLE SAW	1-5/8"	2-3/8" (60mm)
DHS1688	1-11/16" HOLE SAW	1-11/16"	2-3/8" (60mm)
DHS1750	1-3/4" HOLE SAW	1-3/4"	2-3/8" (60mm)
DHS1813	1-13/16" HOLE SAW	1-13/16"	2-3/8" (60mm)
DHS1875	1-7/8" HOLE SAW	1-7/8"	2 3/8" (60mm)
DHS2000	2" HOLE SAW	2"	2 3/8" (60mm)
DHS2063	2-1/16" HOLE SAW	2-1/16"	2-3/8" (60mm)
DHS2125	2-1/8" HOLE SAW	2-1/8"	2-3/8" (60mm)
DHS2250	2-1/4" HOLE SAW	2-1/4"	2-3/8" (60mm)
DHS2312	2-5/16" HOLE SAW	2-5/16"	2-3/8" (60mm)
DHS2375	2-3/8" HOLE SAW	2-3/8"	2-3/8" (60mm)
DHS2500	2-1/2" HOLE SAW	2-1/2"	2-3/8" (60mm)
DHS2563	2-9/16" HOLE SAW	2-9/16"	2-3/8" (60mm)
DHS2625	2-5/8" HOLE SAW	2-5/8"	2-3/8" (60mm)
DHS2687	2-11/16" HOLE SAW	2-11/16"	2-3/8" (60mm)
DHS2750	2-3/4" HOLE SAW	2-3/4"	2-3/8" (60mm)
DHS2875	2-7/8" HOLE SAW	2-7/8"	2-3/8" (60mm)
DHS3000	3" HOLE SAW	3"	2-3/8" (60mm)
DHS3125	3-1/8" HOLE SAW	3-1/8"	2-3/8" (60mm)
DHS3250	3-1/4" HOLE SAW	3-1/4"	2-3/8" (60mm)
DHS3375	3-3/8" HOLE SAW	3-3/8"	2-3/8" (60mm)
DHS3500	3-1/2" HOLE SAW	3-1/2"	2 3/8" (60mm)
DHS3625	3-5/8" HOLE SAW	3-5/8"	2 3/8" (60mm)
DHS3750	3-3/4" HOLE SAW	3-3/4"	2 3/8" (60mm)
DHS3875	3-7/8" HOLE SAW	3-7/8"	2 3/8" (60mm)
DHS4000	4" HOLE SAW	4"	2 3/8" (60mm)
DHS4125	4-1/8" HOLE SAW	4-1/8"	2 3/8" (60mm)
DHS4250	4-1/4" HOLE SAW	4-1/4"	2 3/8" (60mm)
DHS4375	4-3/8" HOLE SAW	4-3/8"	2 3/8" (60mm)
DHS4500	4-1/2" HOLE SAW	4-1/2"	2 3/8" (60mm)
DHS4750	4-3/4" HOLE SAW	4-3/4"	2 3/8" (60mm)
DHS5000	5" HOLE SAW	5"	2 3/8" (60mm)
DHS5500	5-1/2" HOLE SAW	5-1/2"	2 3/8" (60mm)
DHS5750	5-3/4" HOLE SAW	5-3/4"	2 3/8" (60mm)
DHS6000	6" HOLE SAW	6"	2 3/8" (60mm)

RECESSED LIGHTING BI-METAL HOLE SAWS

ITEM	DESCRIPTION	DIAM.	LENGTH
DHS4375RL	4-3/8" HOLE SAW	4-3/8"	2 3/8" (60mm)
DHS5375RL	5-3/8" HOLE SAW	5-3/8"	2 3/8" (60mm)
DHS6375RL	6-3/8" HOLE SAW	6-3/8"	2 3/8" (60mm)

UNIVERSAL EXTENSIONS

ITEM	DESCRIPTION	SHANK	LENGTH
DHS375XT6	3/8 X 5-1/2 EXTENSION	3/8"	5-1/2"
DHS375XT12	3/8 X 12 EXTENSION	3/8"	12"
DHS375XT18	3/8 X 18 EXTENSION	3/8"	18"
DHS500XT6	7/16 X 5-1/2 EXTENSION	7/16"	5-1/2"
DHS500XT12	7/16 X 12 EXTENSION	7/16"	12"
DHS500XT18	7/16 X 18 EXTENSION	7/16"	18"

SETS

ITEM	DESCRIPTION
DHS09SGP	9 Piece General Purpose Set. Set includes 5 Bi-Metal hole saw cups (7/8", 1-1/8", 1-3/8", 1-1/2", 2"), 1 Snap-Lock Plus™ Mandrel, 1 pilot bit, 2 adaptor nuts (1/2" and 5/8")
DHS09SGPCT	9 Piece Carbide Teeth General Purpose Set. Set includes 5 Carbide hole saw cups (1", 1-1/8", 1-3/8", 1-1/2", 2"), 1 Snap-Lock Plus™ Mandrel, 1 pilot bit, 2 adaptor nuts (1/2" and 5/8")
DHS11SLD	11 Piece Large Diameter Set. Set includes 6 Bi-Metal hole saw cups (2-1/8", 2-9/16", 3", 3-5/8", 4-1/8", 4-3/4"), 1 Snap-Lock Plus™ Mandrel, 2 pilot bits, 2 adaptor nuts (1/2" and 5/8")
DHS13SPLCT	13 Piece Plumbing Carbide Set. Set includes 8 Carbide hole saw cups (1-1/8", 1-3/8", 1-1/2", 2", 2-1/8", 2-9/16", 2-5/8", 3"), 1 Snap-Lock Plus™ Mandrel, 2 Pilot Drill Bits, 2 adaptor nuts (1/2" and 5/8")
DHS14SGP	14 Piece Bi-Metal Set. Set includes 10 Bi-Metal hole saw cups (7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/2", 2-9/16"), 1 Snap-Lock Plus™ Mandrel, 1 pilot bit, 2 adaptor nuts (1/2" and 5/8")
DHS16SEL	16 Piece Electrical Set. Set includes 10 Bi-Metal hole saw cups (7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 3", 3-5/8", 4-1/8", 4-1/2"), 2 Snap-Lock Plus™ Mandrels, 2 pilot bits, 2 adaptor nuts (1/2" and 5/8")
DHS17SPL	17 Piece Plumbing Set. Set includes 11 Bi-Metal hole saw cups (1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2-1/4", 2-9/16", 3", 3-5/8", 4", 4-1/2"), 2 Snap-Lock Plus™ Mandrels, 2 pilot bits, 2 adaptor nuts (1/2" and 5/8")



MANDRELS, BITS, & NUTS (FOR CARBIDE & BIMETAL)

ITEM	DESCRIPTION
DHSAR375	Snap-Lock Plus™ Mandrel System with 3/8" hex shank, 9/32" (7.15 mm) HSS-G pilot drill and 2 adapter nuts
DHSAR500	Snap-Lock Plus™ Mandrel System with 7/16" hex shank, 9/32" 7.15 mm HSS-G pilot drill and 2 adapter nuts
DHSARSDS	Snap-Lock Plus™ Mandrel System with SDS PLUS shank, 9/32" (7.15 mm) HSS-G pilot drill and 2 adapter nuts
DHS4BITI	9/32" (7.15 mm) x 4" HSS Pilot Drill Bit
DHSNUT2	Pack of two adapter nuts to convert others hole saws to Snap-Lock™ Mandrel System
DHS4BITCB	9/32" x (7.15 mm) x 4" Cobalt Pilot Drill Bit
DHS4BITCT	9/32" (7.15 mm) x 4" Carbide Tipped Pilot Drill Bit

STEP DRILL BITS

ITEM	DESCRIPTION	DIA.	STEPS	SHANK
DSD0500S13	IMPACT STEP BIT 1/2 IN. 13 STEPS	1/2"	13	1/4" HEX
DSD0500S06	IMPACT STEP BIT 1/2 IN. 6 STEPS	1/2"	6	1/4" HEX
DSD0750S09	IMPACT STEP BIT 3/4 IN. 9 STEPS	3/4"	9	1/4" HEX
DSD0875S12	IMPACT STEP BIT 7/8 IN. 12 STEPS	7/8"	12	1/4" HEX
DSD1125S17	IMPACT STEP BIT 1-1/8 IN. 17 STEPS	1-1/8"	17	1/4" HEX
DSD1375S15	STEP BIT 1-3/8 IN. 15 STEPS	1-3/8"	15	3/8" CYL



SELF FEED BITS

ITEM	DESCRIPTION	DIA.	SHANK
DSF1125	SPEEDEMON™ SELF FEED BIT 1-1/8 IN.	1-1/8"	7/16"
DSF1375	SPEEDEMON™ SELF FEED BIT 1-3/8 IN.	1-3/8"	7/16"
DSF1500	SPEEDEMON™ SELF FEED BIT 1-1/2 IN.	1-1/2"	7/16"
DSF2000	SPEEDEMON™ SELF FEED BIT 2 IN.	2"	7/16"
DSF2125	SPEEDEMON™ SELF FEED BIT 2-1/8 IN.	2-1/8"	7/16"
DSF2250	SPEEDEMON™ SELF FEED BIT 2-1/4 IN.	2-1/4"	7/16"
DSF2562	SPEEDEMON™ SELF FEED BIT 2-9/16 IN.	2-9/16"	7/16"
DSF3000	SPEEDEMON™ SELF FEED BIT 3 IN.	3"	7/16"
DSF3625	SPEEDEMON™ SELF FEED BIT 3-5/8 IN.	3-5/8"	7/16"



ABRASIVES

SANDING DISCS

Clog Resistance Net
For less dust build-up & up to **10x** longer life

Easy Tool Connection
Application Pad included free in each package

Easy to Clean
For repeated use and longer life

Premium Aluminum Oxide Grain
Hi-Quality grain, designed to maximize sanding disc performance

1 SandNet = 10 Standard Sanding Discs

10x LONGER LIFE

5" SANDNET DISCS

ITEM NUMBER	GRIT	DESCRIPTION	PACKS
DND050060H10I	60 (Coarse)	5" SandNet Discs	50 pks
DND050080H10I	80 (Coarse)	5" SandNet Discs	10 pks, 50 pks
DND050100H10I	100 (Fine)	5" SandNet Discs	50 pks
DND050120H10I	120 (Fine)	5" SandNet Discs	10 pks, 50 pks
DND050180H10I	180 (Very Fine)	5" SandNet Discs	10 pks, 50 pks
DND050220H10I	220 (Ultra Fine)	220 (Ultra Fine)	10 pks, 50 pks
DND050320H10I	320 (Ultra Fine)	5" SandNet Discs	10 pks, 50 pks
DND050400H10I	400 (Super Fine)	5" SandNet Discs	10 pks, 50 pks

9" SANDNET DISCS - 10 PK

ITEM NUMBER	GRIT	DESCRIPTION
DND090080H01G	80 (Coarse)	9" SandNet Discs
DND090100H01G	100 (Medium)	9" SandNet Discs
DND090120H01G	120 (Fine)	9" SandNet Discs
DND090180H01G	180 (Very Fine)	9" SandNet Discs
DND090220H01G	220 (Ultra Fine)	9" SandNet Discs
DND090320H01G	320 (Ultra Fine)	9" SandNet Discs

SANDNET DUAL DENSITY/REUSABLE SANDING BLOCK

ITEM NUMBER	DESCRIPTION
DFB234DU0H01G	Diablo Dual Density Block

SANDNET DUAL DENSITY/REUSABLE SANDING BLOCK

Replacement Sheets

ITEM NUMBER	GRIT	DESCRIPTION
DND234080S10N	80 (Coarse)	2-3/4" SandNet Sheets
DND234120S10N	120 (Fine)	2-3/4" SandNet Sheets
DND234220S10N	220 (Ultra Fine)	2-3/4" SandNet Sheets
DND234320S10N	320 (Ultra Fine)	2-3/4" SandNet Sheets

5" SANDING DISCS with Hook & Lock™ BACKING

Available in 4, 15 & 50 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD050040H04G (5PK) DCD050040H15G (15PK) DCD050040H50G (50PK)	40 (Ultra Coarse)	5" Ceramic Disc with Hook & Lock™ Backing
DCD050060H04G (4PK) DCD050060H15G (15PK) DCD050060H50G (50PK)	60 (Ultra Coarse)	5" Ceramic Disc with Hook & Lock™ Backing
DCD050080H04G (4PK) DCD050080H15G (15PK) DCD050080H50G (50PK)	80 (Ultra Coarse)	5" Ceramic Disc with Hook & Lock™ Backing
DCD050100H04G (4PK) DCD050100H15G (15PK) DCD050100H50G (50PK)	100 (Medium)	5" Ceramic Disc with Hook & Lock™ Backing
DCD050120H04G (4PK) DCD050120H15G (15PK) DCD050120H50G (50PK)	120 (Fine)	5" Ceramic Disc with Hook & Lock™ Backing

Hook & Lock™ Backing™
Premium loop backing enables repeated attachment and removal of discs

StickFast™ Backing
Industrial grade Pressure Sensitive Adhesive (PSA) for strong bond to sanding pad

5" SANDING DISCS with Hook & Lock™ BACKING (CONT.)

Available in 4, 15 & 50 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD050220H04G (4PK) DCD050220H15G (15PK) DCD050220H50G (50PK)	220 (Ultra Fine)	5" Ceramic Disc with Hook & Lock™ Backing
DCD050320H04G (4PK) DCD050320H15G (15PK) DCD050320H50G (50PK)	320 (Ultra Fine)	5" Ceramic Disc with Hook & Lock™ Backing

6" SANDING DISCS with Hook & Lock™ BACKING

Available in 10 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD060060H10G	60 (Ultra Coarse)	6" Ceramic Disc with Hook & Lock™ Backing
DCD060100H10G	100 (Medium)	6" Ceramic Disc with Hook & Lock™ Backing
DCD060150H10G	150 (Very Fine)	6" Ceramic Disc with Hook & Lock™ Backing
DCD060220H10G	220 (Ultra Fine)	6" Ceramic Disc with Hook & Lock™ Backing

PROJECT PACKS

ITEM NUMBER	GRIT	DESCRIPTION
DCD050VGP07G	Three 60 Grit (Coarse) Two 100 Grit (Medium) Two 150 Grit (Ultra Fine)	5" General Purpose Project Pack with Hook & Lock™ Backing (7 Pieces)
DCD050VFN07G	Three 80 (Coarse) Two 150 (Very Fine) Two 220 (Ultra Fine)	5" Refinishing Project Pack with Hook & Lock™ Backing (7 Pieces)

5" SANDING DISCS WITH STICKFAST™ (PSA) BACKING

Available in 5 & 50 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD050040P05G (5PK) DCD050040P50G (50PK)	40 (Ultra Coarse)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050060P05G (50PK)	60 (Ultra Coarse)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050080P05G (5PK) DCD050080P50G (50PK)	80 (Coarse)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050100P05G (50PK)	100 (Medium)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050120P05G (5PK) DCD050120P50G (50PK)	120 (Fine)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050150P05G (50PK)	150 (Very Fine)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050180P05G (5PK) DCD050180P50G (50PK)	180 (Very Fine)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050220P05G (5PK)	220 (Ultra Fine)	5" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab

6" SANDING DISCS WITH STICKFAST™ (PSA) BACKING - 5 PK

ITEM NUMBER	GRIT	DESCRIPTION
DCD060040P05G	40 (Ultra Coarse)	6" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD060080P05G	80 (Coarse)	6" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD060120P05G	120 (Fine)	6" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab
DCD050220P50G	220 (Ultra Fine)	6" Ceramic Disc with Stickfast™ (PSA) Backing & Easy Pull Tab

SANDING SHEETS

Premium Aluminum Oxide
Hi-quality formulation designed to maximize sanding disc performance

Clog-SHIELD™
Hi-performance stearate coating reduces pitch build-up & clogging

ENDURA-BOND™
A specialized hi-strength resin provides superior grit-to-backing bond

StickFast™ (PSA) Backing
Industrial grade Pressure Sensitive Adhesive (PSA) for strong bond to sanding pad

Hook & Lock™ Backing
Premium loop backing enables repeated attachment and removal of discs

SANDING SHEETS

Available in 4 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCS045040P04G	40 (Ultra Coarse)	4-1/2" x 4-1/2" Palm Sander Sheet with Stickfast™ (PSA) Backing
DCS045060P04G	60 (Coarse)	4-1/2" x 4-1/2" Palm Sander Sheet with Stickfast™ (PSA) Backing
DCS045100P04G	100 (Medium)	4-1/2" x 4-1/2" Palm Sander Sheet with Stickfast™ (PSA) Backing
DCS045150P04G	150 (Very Fine)	4-1/2" x 4-1/2" Palm Sander Sheet with Stickfast™ (PSA) Backing
DCS911060S04G	60 (Ultra Coarse)	9"x11" Sanding Sheet
DCS911080S04G	80 (Coarse)	9"x11" Sanding Sheet
DCS911100S04G	100 (Medium)	9"x11" Sanding Sheet
DCS911150S04G	150 (Very Fine)	9"x11" Sanding Sheet
DCS911220S04G	220 (Ultra Fine)	9"x11" Sanding Sheet

Available in 6 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCS045040P06G	40 (Ultra Coarse)	4-1/2" x 5-1/2" Palm Sander Sheet
DCS045060S06G	60 (Ultra Coarse)	4-1/2" x 5-1/2" Palm Sander Sheet
DCS045100S06G	100 (Medium)	4-1/2" x 5-1/2" Palm Sander Sheet
DCS045150S06G	150 (Very Fine)	4-1/2" x 5-1/2" Palm Sander Sheet
DCS045220S06G	220 (Ultra Fine)	4-1/2" x 5-1/2" Palm Sander Sheet

DETAIL SANDING SHEETS

Available in 10 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCTTRI060P10G	60 (Ultra Coarse)	2-7/8" x 2-7/8" Triangle Detail Sheet with Stickfast™ (PSA) Backing
DCTTRI100P10G	100 (Medium)	2-7/8" x 2-7/8" Triangle Detail Sheet with Stickfast™ (PSA) Backing
DCTTRI150P10G	150 (Very Fine)	2-7/8" x 2-7/8" Triangle Detail Sheet with Stickfast™ (PSA) Backing
DCTTIPVGP15G	Five 80 (Coarse) Five 120 (Fine) Five 180 (Ultra Fine)	3" x 1-1/8" Detail Sanding Fingertips with Hook & Lock™ Backing

Available in 5 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCTCAT080H05G	80 (Coarse)	3-7/8" x 5-1/2" Detail Sanding Sheet with Hook & Lock™ Backing
DCTCAT120H05G	120 (Fine)	3-7/8" x 5-1/2" Detail Sanding Sheet with Hook & Lock™ Backing
DCTCAT220H05G	220 (Ultra Fine)	3-7/8" x 5-1/2" Detail Sanding Sheet with Hook & Lock™ Backing
DCTDET080H05G	80 (Coarse)	4-3/16" x 6-3/4" Detail Sanding Sheet with Hook & Lock™ Backing
DCTDET120H05G	120 (Fine)	4-3/16" x 6-3/4" Detail Sanding Sheet with Hook & Lock™ Backing
DCTDET180H05G	220 (Ultra Fine)	4-3/16" x 6-3/4" Detail Sanding Sheet with Hook & Lock™ Backing

SANDING BELTS

SANDING BELTS

Available in packs of 2 & 5

ITEM NUMBER	GRIT	DESCRIPTION
DCB318036S02G (2PK) DCB318036S05G (5PK)	36 (Ultra Coarse)	3" x 18" Zirconium Sanding Belt
DCB318050S02G (2PK) DCB318050S05G (5PK)	50 (Coarse)	3" x 18" Zirconium Sanding Belt
DCB318080S02G (2PK) DCB318080S05G (5PK)	80 (Medium)	3" x 18" Zirconium Sanding Belt
DCB318120S02G (2PK) DCB318120S05G (5PK)	120 (Fine)	3" x 18" Zirconium Sanding Belt
DCB321036S02G (2PK) DCB321036S05G (5PK)	36 (Ultra Coarse)	3" x 21" Zirconium Sanding Belt
DCB321050S02G (2PK) DCB321050S05G (5PK)	50 (Coarse)	3" x 21" Zirconium Sanding Belt
DCB321080S02G (2PK) DCB321080S05G (5PK)	80 (Medium)	3" x 21" Zirconium Sanding Belt
DCB321120S02G (2PK) DCB321120S05G (5PK)	120 (Fine)	3" x 21" Zirconium Sanding Belt

Available in 2 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCB424036S02G	36 (Ultra Coarse)	4" x 24" Zirconium Sanding Belt
DCB424050S02G	50 (Coarse)	4" x 24" Zirconium Sanding Belt
DCB424080S02G	80 (Medium)	4" x 24" Zirconium Sanding Belt
DCB424120S02G	120 (Fine)	4" x 24" Zirconium Sanding Belt
DCB324050S02G	50 (Coarse)	3" x 24" Zirconium Sanding Belt
DCB324080S02G	80 (Medium)	3" x 24" Zirconium Sanding Belt
DCB324120S02G	120 (Fine)	3" x 24" Zirconium Sanding Belt

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCB436120S01G	120 (Fine)	4" x 36" Zirconium Sanding Belt
DCB436080S01G	80 (Medium)	4" x 36" Zirconium Sanding Belt
DCB436050S01G	50 (Coarse)	4" x 36" Zirconium Sanding Belt

ASSORTMENT PACKS

ITEM NUMBER	GRIT	DESCRIPTION
DCB130VGPS03G	One 50 (Coarse) One 80 (Medium) One 120 (Fine)	1" x 30" Belt Assorted 3pk
DCB318ASTS05G	One 50 (Coarse) One 80 (Medium) One 120 (Fine)	3" x 18" Belt Assorted 3pk
DCB321ASTS05G	One 50 (Coarse) One 80 (Medium) One 120 (Fine)	3" x 21" Belt Assorted 3pk
DCB424ASTS03G	One 50 (Coarse) One 80 (Medium) One 120 (Fine)	4" x 24" Belt Assorted 3pk
DCB436ASTS03G	One 50 (Coarse) One 80 (Medium) One 120 (Fine)	4" x 36" Belt Assorted 3pk

DIAMOND DISCS

DIAMOND DISCS

ITEM NUMBER	DESCRIPTION
DDD045DIA101F	4-1/2" Diamond Disc for Metal Cutting
DDD050DIA101F	5" Diamond Disc for Metal Cutting
DDD060DIA101F	6" Diamond Disc for Metal Cutting
DDD070DIA101F	7" Diamond Disc for Metal Cutting

FLAP DISCS

Premium Zirconium Blend

Premium zirconium grain blend for up to **70x** faster material removal when compared to standard grinding wheels

Flexible Flap Design

Special flap design offers flexibility and provides for a cushioned grinding effect

Grinding and Polishing

Flap design combines two steps in one by simultaneously grinding and polishing



SPEED HUB

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCX045040B01F	40 (Ultra Coarse)	4.5" Steel Demon™ Flap Disc with Speed Hub
DCX045060B01F	60 (Coarse)	4.5" Steel Demon™ Flap Disc with Speed Hub
DCX045080B01F	80 (Medium)	4.5" Steel Demon™ Flap Disc with Speed Hub

FLAP DISCS

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCX045040N01F	40 (Ultra Coarse)	4-1/2" Steel Demon™ Grinding & Polishing Flap Disc
DCX045060N01F	60 (Coarse)	4-1/2" Steel Demon™ Grinding & Polishing Flap Disc
DCX045080N01F	80 (Medium)	4-1/2" Steel Demon™ Grinding & Polishing Flap Disc
DCX070040B01F	40 (Ultra Coarse)	7" Steel Demon™ Grinding & Polishing Flap Disc with Hub
DCX070060B01F	60 (Coarse)	7" Steel Demon™ Grinding & Polishing Flap Disc with Hub
DCX070080B01F	80 (Medium)	7" Steel Demon™ Grinding & Polishing Flap Disc with Hub

FIBER DISCS

Available in 4 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCF040036S04G	36 (Extra Coarse)	4" Aluminum Oxide Fiber Disc
DCF040050S04G	50 (Coarse)	4" Aluminum Oxide Fiber Disc
DCF045024S04G	24 (Extra Coarse)	4-1/2" Aluminum Oxide Fiber Disc
DCF045036S04G	36 (Extra Coarse)	4-1/2" Aluminum Oxide Fiber Disc
DCF045050S04G	50 (Coarse)	4-1/2" Aluminum Oxide Fiber Disc
DCF050024S04G	24 (Extra Coarse)	5" Aluminum Oxide Fiber Disc
DCF050036S04G	36 (Extra Coarse)	5" Aluminum Oxide Fiber Disc
DCF050050S04G	50 (Coarse)	5" Aluminum Oxide Fiber Disc
DCF050080S04G	80 (Medium)	5" Aluminum Oxide Fiber Disc

Available in 2 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCF070024S02G	24 (Extra Coarse)	7" Aluminum Oxide Fiber Disc
DCF070036S02G	36 (Extra Coarse)	7" Aluminum Oxide Fiber Disc
DCF070050S02G	50 (Coarse)	7" Aluminum Oxide Fiber Disc

BACKING PADS

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCP040VGPS01G	50 (Coarse)	4" BU Pad for Fiber Disc Kit
DCP045VGPS01G	50 (Coarse)	4-1/2" X 5/8" BU Pad for Fiber Disc Kit
DCP070VGPS01G	50 (Coarse)	7" X 5/8" BU Pad for Fiber Disc Kit

FLOOR SANDING

FLOOR SANDING

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD160012S01G	12	16" Buffer PSA Coated Sheet
DCD160036S01G	36 (Extra Coarse)	16" Buffer PSA Coated Sheet
DCR170REDM01G	RED	17" Buffer Pad
DCR170WHTM01G	WHITE	17" Buffer Pad
DCR170GRNM01G	GREEN	17" Buffer Pad
DCR170BLKM01G	BLACK	17" Buffer Pad
DCP120WHTM01G	WHITE	12" X 18" Buffing Pad
DCP120REDM01G	RED	12" X 18" Buffing Pad

ITEM NUMBER	GRIT	DESCRIPTION
DCB819024S01W	24 (Extra Coarse)	8" X 19" Drum Sander Belt Coated
DCB819036S01W	36 (Extra Coarse)	8" X 19" Drum Sander Belt Coated
DCB819060S01W	60 (Coarse)	8" X 19" Drum Sander Belt Coated
DCB819080S01W	80 (Medium)	8" X 19" Drum Sander Belt Coated
DCB819100S01W	100 (Medium)	8" X 19" Drum Sander Belt Coated
DCB819120S01W	120 (Fine)	8" X 19" Drum Sander Belt Coated

ITEM NUMBER	GRIT	DESCRIPTION
DCD070024S01W	24 (Extra Coarse)	7" Edger Disc Coated
DCD070036S01W	36 (Extra Coarse)	7" Edger Disc Coated
DCD070060S01W	60 (Coarse)	7" Edger Disc Coated
DCD070080S01W	80 (Medium)	7" Edger Disc Coated
DCD070100S01W	100 (Medium)	7" Edger Disc Coated
DCD070120S01W	120 (Fine)	7" Edger Disc Coated

DRYWALL SANDING

Available in single pack

ITEM NUMBER	GRIT	DESCRIPTION
DCD090080H01G	80 (Medium)	9" Drywall Sander Disc Coated
DCD090100H01G	100 (Medium)	9" Drywall Sander Disc Coated
DCD090120H01G	120 (Fine)	9" Drywall Sander Disc Coated
DCD090150H01G	150 (Very Fine)	9" Drywall Sander Disc Coated
DCD090220H01G	220 (Ultra Fine)	9" Drywall Sander Disc Coated

Available in Single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD068036H01W	36 (Extra Coarse)	6-7/8" Alto Sander Disc Coated
DCD068060H01W	60 (Coarse)	6-7/8" Alto Sander Disc Coated
DCD068080H01W	80 (Medium)	6-7/8" Alto Sander Disc Coated
DCD068100H01W	100 (Medium)	6-7/8" Alto Sander Disc Coated

MISCELLANEOUS

Available in 3 packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD068BLUF03W	BLUE	6-7/8" Alto Sander Disc Coated Foam Disc
DCD068REDF03W	RED	6-7/8" Alto Sander Disc Coated Foam Disc

Available in single packs

ITEM NUMBER	GRIT	DESCRIPTION
DCD068PADF01W	N/A	6-7/8" Alto Backing Pad
DCD050KTD01G	N/A	5" Drill Mount Sanding Disc Kit
DCD090PADF01G	N/A	9" Drywall Sander Backing Pad

ITEM NUMBER	GRIT	DESCRIPTION
DCVDRMVGPS10G	80 & 150 Asst.	Assorted Diablo Spindle Sanding Sleeves