



Home Comfort Solutions

Before Everything, There's Bosch.

Simple. Reliable. Innovative.

BoschHeatingAndCooling.com



BOSCH

Bosch is a Comfort Solutions Provider for Residential & Commercial Applications



We Believe Comfort is Best When it's Effortless

That's why, at Bosch Thermotechnology, we work hard to bring you the highest quality heating and cooling systems. We build every one of our products to be reliable and user-friendly, so you can go ahead and forget we're even here. That's invisible comfort — the kind you feel, but never have to think about.

About Bosch Thermotechnology Corp.

Bosch Thermotechnology Corp. is a leading source of high quality heating, cooling and hot water systems. The company offers Bosch tankless, point-of-use and electric water heaters, Bosch and Buderus floor-standing and wall-hung boilers, Bosch and FHP water-source, geothermal and air-source heat pump systems, as well as controls and accessories for every product line.

Bosch Thermotechnology is committed to reinventing energy efficiency by offering smart products that work together as integrated systems that enhance quality of life in an ultra-efficient and environmentally friendly manner.

Bosch strives to bring the most energy-efficient and environmentally responsible products to global consumers. In delivering the best products at affordable prices to our markets, Bosch has established multiple collaborations and joint ventures on a global scale to bring the latest technologies to North America. All global manufacturing facilities must adhere to stringent quality standards in order to provide the trusted Bosch brand.

About Bosch

The Bosch Group is a leading global supplier of technology and services. It employs roughly 395,000 associates worldwide (as of December 31, 2021). The company generated sales of 81.7 billion euros in 2020. Its operations are divided into four business sectors: Mobility Solutions, Industrial Technology, Consumer Goods, and Energy and Building Technology. As a leading IoT provider, Bosch offers innovative solutions for smart homes, Industry 4.0, and connected mobility. Bosch is pursuing a vision of mobility that is sustainable, safe, and exciting. It uses its expertise in sensor technology, software, and services, as well as its own IoT cloud, to offer its customers connected, cross-domain solutions from a single source. The Bosch Group's strategic objective is to facilitate connected living with products and solutions that either contain artificial intelligence (AI) or have been developed or manufactured with its help. Bosch improves quality of life worldwide with products and services that are innovative and spark enthusiasm. In short, Bosch creates technology that is "Invented for life."



Bosch Residential Comfort Solutions

Residential
Products



Residential Heating Solutions


Greenstar Condensing Boilers

- ▶ Available in 4 Heat-Only & 3 Combi sizes, 95% AFUE, ENERGY STAR compliant
- ▶ Magnesium-aluminum-silicon alloy Heat Exchanger
- ▶ Venting material includes polypropylene (PP), flexible PP chimney liner, concentric PP kit, PVC or CPVC
- ▶ Integral pump is standard on all models
- ▶ Ultra quiet operation
- ▶ Up to 4 GPM DHW output on Combi models
- ▶ Over 4 million Greenstar boilers sold worldwide
- ▶ 10-year limited lifetime warranty on heat exchanger⁽¹⁾



Singular Condensing Combi Boilers

- ▶ High-efficiency 95% AFUE rating, ENERGY STAR compliant
- ▶ Built-in boiler circulator pump
- ▶ Stainless steel primary & secondary heat exchangers for cost-effective, reliable performance
- ▶ All models include NG to LP conversion kit
- ▶ Eco-friendly low NOx metal fiber burner
- ▶ 2" PVC vent up to 60' (3" venting up to 150')
- ▶ 10-year heat exchanger, 5-year parts, and 1-year labor limited warranty⁽¹⁾



BGH96 Furnace

- ▶ Up to 96% AFUE heating efficiency, ENERGY STAR compliant
- ▶ 5-year parts, 20-year heat exchanger limited warranty⁽¹⁾
- ▶ 3-way multipoise design for added flexibility
- ▶ 2-stage gas valve switches between high and low fire settings, allowing enhanced comfort and efficiency
- ▶ Integrate the Bosch BGH96 Furnace with Bosch's IDS heat pump system for a highly efficient heating & cooling system



Buderus Conventional Gas Boilers | GC144 & G234X

- ▶ Clean combustion, high efficiency, economical operation
- ▶ Buderus boilers are the perfect central heating source for single & multiple family homes
- ▶ Low emissions with premixed burner technology
- ▶ All sections are tightly joined and sealed; patented GL-180M silicone-injected, gray cast iron provides excellent resistance to corrosion and thermal shock



Buderus Oil Boilers | G115 & G215

- ▶ Improved Efficiency – 87% AFUE
- ▶ High efficiency through full three-pass boiler design
- ▶ Cast iron breaching for long life
- ▶ Engineered to extract & deliver more heat



Panel Radiators | Model 21 & Model 22

- ▶ Hydronic steel panel radiators provide the perfect combination of both radiant and convective heat
- ▶ A flexible, efficient and cleaner alternative to baseboards
- ▶ Panel radiators don't blow air or dust and are virtually silent
- ▶ Ideal in new construction, as well as suitable for retro-fit applications



Residential Cooling Solutions

Bosch IDS Family

- ▶ IDS Light up to 16.0 SEER | 9 HSPF
- ▶ IDS Plus up to 18.5 SEER | 9.5 HSPF
- ▶ IDS Premium up to 20.5 SEER | 10.5 HSPF
- ▶ IDS Premium Connected up to 20.5 SEER | 10.5 HSPF
- ▶ Fully-modulating inverter drive
- ▶ Sound levels as low as 56 dBA(1)
- ▶ 8 Air handlers – 2, 3, 4, 5 Ton
- ▶ 9 Condensing units – 2, 3, 5 Ton
- ▶ Compatible with most 24 VAC thermostats
- ▶ Bosch engineering & quality
- ▶ Designed and tested to Bosch standards
- ▶ 10-year residential limited warranty⁽¹⁾

Installer Friendly

- ▶ Designed for easy installation
- ▶ Intuitive controls
- ▶ Support readily available
- ▶ Spare parts readily available
- ▶ Easy to maintain and service
- ▶ On-board diagnostics
- ▶ In-app guides to assist installation⁽⁶⁾

Bosch IDS systems utilize just the right amount of energy to achieve ultimate comfort year after year, all while keeping sound levels to a minimum. Choose the Bosch IDS system that is right for you and enjoy our peace of mind 10 Year Bosch warranty!

15 SEER System
IDS Light



18 SEER System
IDS Plus



20 SEER System
IDS Premium



20 SEER System
IDS Premium
Connected



Cased Coil

- ▶ 10 evaporator coil models from 2 through 5 ton sizes
- ▶ Aluminum fins with aluminum tubing to prevent corrosion
- ▶ Easy-to-clean foil-back insulation, helps to ensure against energy loss through the cabinet
- ▶ Bottom and side drain pans so the unit can be mounted horizontally or vertically



IDP (Inverter Ducted Package System)

- ▶ Superior efficiency – rated up to 19 SEER, 12.5 EER, 10 HSPF, ENERGY STAR rated
- ▶ IDP 3T – Provides up to 4-stage indoor fan control, mobile home certified for high static
- ▶ IDP 5T – Provides up to 2-stage indoor fan control
- ▶ 10 speed ECM outdoor blower for premium efficiency and whisper quiet operation
- ▶ Easy to install – 2-way design allows for horizontal and downflow installations, air return/supply are field convertible



Bosch Climate 5000 Gen 3

- ▶ No additional accessory needed for Low Ambient Cooling operation down to -22°F with MAX Performance System (Maximum 107% Cooling capacity at -22°F)
- ▶ Heating capacity between -5°F and 5°F, depending on system configuration
- ▶ Whisper quiet operation: ODU as low as 53 dB, IDU as low as 23 dB⁽²⁾
- ▶ Built in condensate (lift) pump for Cassette & Ducted IDU's
- ▶ 10-year compressor & 5-year parts warranty⁽¹⁾





Be Comfortable Every Season!

Our Highly Efficient IDS Dual Fuel Heating & Cooling System



A Bosch BOVB18 or BOVA20 Outdoor Unit⁽²⁾

The robust Bosch Inverter Ducted Split Air Source Heat Pump system utilizes just the right amount of energy to achieve ultimate comfort and maximum efficiency while keeping sound levels to a minimum. Choose between the BOVB18 or the BOVA20 for maximum efficiency.

B Bosch BMAC Cased Coil⁽²⁾

The Inverter Ducted Split Cased Coil, when paired with a Bosch Furnace and IDS outdoor condensing section, delivers some of the best comfort levels and efficiency on the market today. Bosch offers a complete range of cased coils to fit your needs.



Dual fuel systems are the ideal solution to maximize comfort & efficiency



C **Bosch BGH96
96% Furnace⁽²⁾**

The BGH96 Gas Furnace offers up to 96% efficiency, a two-stage gas valve, and a multi-speed blower. This ENERGY STAR rated furnace offers premium comfort and energy savings. It is the perfect solution to efficiently heat your home.



D **Bosch BCC100
Wi-Fi Thermostat⁽²⁾**

The BCC100 is a sleek, internet-connected thermostat that offers easy all-in-one control for your heating and cooling systems. It can be controlled using the Bosch Connected Control app and is compatible with most 24VAC HVAC equipment on the market.

Residential Cooling Solutions



Local Wi-Fi Enabled

Configure up to 24 optional settings, view real time data for start-up, troubleshooting & diagnostics.



SM Rev C

- ▶ 2 to 6 ton capacities
- ▶ Two Stage High Efficiency
- ▶ Standard ECM constant CFM (Variable Speed) blower motors with Passive Dehumidification
- ▶ Standard Heat Recovery Package (Desuperheater)
- ▶ Local Wi-Fi Enabled - Configure up to 24 optional settings for customizable comfort. Plus, view real time data for start-up, troubleshooting & diagnostics

SM Split

- ▶ 2 to 5 ton capacities
- ▶ Two Stage High Efficiency
- ▶ Versatile and compact condensing section design adapts to replacement, relocation, or new construction
- ▶ New and flexible air handling/cased coil solutions with 2 different blower motor options



SM Split CS +
SM Split AH/AV
Air Handler



SM Split CS +
BVA2.0 Air Handler



SM Split CS +
BMAC Cased Coil +
Furnace

WQ

- ▶ 2 to 5 ton capacities
- ▶ Sound levels as low as 53 dB
- ▶ Bosch-patented noise insulation technology
- ▶ Bosch-patented compressor encapsulation
- ▶ Standard options: DuoGuard Air Coil, Copper or Cupronickel water coil
- ▶ Constant Airflow ECM DEC Star® blower



SV

- ▶ ½ to 6 ton capacities
- ▶ Single Stage Ultra Compact Cabinet
- ▶ New and improved Rotary & Scroll Compressors
- ▶ Standard Options: DuoGuard Air Coil, PSC blower motor, TXV



BP

- ▶ 1 to 4 ton capacities
- ▶ Single Stage High Efficiency
- ▶ Standard DuoGuard Air Coil
- ▶ ECM motors standard for sizes above 018



CE

- ▶ 2 to 6 ton capacities
- ▶ Two Stage Compact Cabinet in VT, HZ, & CF configurations
- ▶ Optional Heat Recovery Package (Desuperheater)
- ▶ Standard ECM constant CFM (Variable Speed) blower motors on all sizes



TW

- ▶ 2 to 10 ton capacities
- ▶ Two Stage High Efficiency Scroll Compressors
- ▶ Quiet and compact design
- ▶ Excellent option for hydronic floor/baseboard heating, hydronic forced air fan coil heating/cooling, ice and snow melting, and swimming pool/spa heating



Residential Controls Solutions

BCC100

- ▶ Connect & control your HVAC equipment from anywhere
- ▶ 5" full-color touch screen
- ▶ Follows preset or programmable user-defined schedule
- ▶ Connect to Wi-Fi and access weather data to determine your optimal in-home temperature throughout the day
- ▶ Control through Bosch Connected Control App*, Amazon Alexa and Google Home
- ▶ Compatible with majority of HVAC systems



CZM100 Zone Manager

- ▶ One unit can control 3 zones with either circulators or zone valves
- ▶ System can be expanded by adding multiple CZM to control up to eight zones
- ▶ Reduces energy usage by adjusting boiler water temperature and firing rate based on feedback from CRC controllers
- ▶ Operates the system at the most efficient output in order to reduce room temperature swings, resulting in more consistent room temperatures and optimized fuel savings
- ▶ Warm weather shutdown, using an optional outdoor sensor



CRC200 Room Controller

- ▶ Used as the main controller & included with some boiler models; Allows for full boiler control
- ▶ Programmable time schedule, back lighting as well as push buttons for Menu, Auto-Run, Hold-Run and Back
- ▶ Will allow the boiler to operate on an outdoor reset or indoor reset control curve function
- ▶ Integrated temperature sensor that can be used as a boiler control or in conjunction with the CZM100 as a room controller
- ▶ Operate an indirect water heater in parallel with the clock program or continuously



CRC100 Room Controller

- ▶ Simple, easy to operate thermostat with integrated temperature sensor
- ▶ Added efficiency by communicating with the boiler through the Bosch EMS BUS. It provides information to increase comfort and decrease energy consumption
- ▶ Pre-programmed with default settings for the most common applications



Residential Hot Water Solutions

Greentherm 9000

- ▶ Ultra-efficient, UEF ratings up to 0.96
- ▶ Space-saving, state-of-the-art tankless design
- ▶ Control external pumps
- ▶ 22:1 turn down ratio
- ▶ 60ft venting using 2" pipe
- ▶ Dedicated outdoor unit eliminates cost of vent kit
- ▶ Wi-Fi accessory & App increases functionality



Therm 940 | 830 Series⁽⁵⁾

- ▶ Ultra low NOx Certified
- ▶ Digital display for accurate temperature setting
- ▶ Approved for use with ½" gas line
- ▶ Available in NG and LP configurations



Tronic 3000T⁽⁵⁾

- ▶ Knob for easy temperature adjustment, compact lightweight, space saving
- ▶ 6-year limited warranty⁽¹⁾
- ▶ LED indicates when tank has reached the set temperature
- ▶ Units can be floor standing or wall mounted (bracket included)



Tronic 4000 C⁽⁵⁾

- ▶ 96% efficient with no stand-by loss
- ▶ Compact and light weight
- ▶ Control of different power levels
- ▶ Operating light
- ▶ As low as 0.55 GPM activation flow rate
- ▶ 5 year limited warranty⁽¹⁾



Tronic 6000 C⁽⁵⁾

- ▶ 95% thermal efficiency
- ▶ Compact and lightweight
- ▶ Thermostatic modulation provides a constant output temperature
- ▶ Built-in inlet water filter
- ▶ Intuitive and easy temperature control
- ▶ 5 year limited warranty⁽¹⁾



Indirect Tanks

- ▶ Reliable and simple way to store hot water
- ▶ Applications for small residences to large commercial operations
- ▶ Thermoglaze models equipped with magnesium anode rod for corrosion protection
- ▶ Easy-access cover aids in cleaning and maintaining the coil and tank interior





Bosch USA Rebate Center

Save on Energy Saving HVAC Products

Take a look at the Bosch USA Rebate center to explore rebates on select Bosch heating and cooling solutions in your area.

**Bosch USA
Rebate Center**





Grow Your Business With Bosch

At Bosch Heating and Cooling, we are committed to supporting our Accredited Bosch Contractors by providing tools to manage and grow your business, allowing you to focus on what matters; providing your customers with comfort they can count on. By choosing Bosch, you represent one of the largest HVAC brands in the market with over 100 years of industry expertise. Join our team of elite dealers to gain access to exclusive sales and marketing tools, technical support, training and more at [Bosch-ABCpartner.com](https://www.bosch-abcpartner.com)

“The Bosch Accredited Contractor program has truly made a difference in my mind from the customers point of view when we are going up against other companies that are selling the same Bosch or Buderus equipment!” -Rich's Oil



BOSCH

Accredited Contractor

Bosch-ABCpartner.com

Accredited Bosch Contractor Benefits

- ▶ Manage your company registrations
- ▶ Access Bosch promotions
- ▶ Access to Bosch product brochures
- ▶ Access to technical documentation
- ▶ Access to ABC Facebook group
- ▶ Contact your Sales Rep (account manager)
- ▶ Priority support hotline
- ▶ Points redemption
- ▶ Financing



Apply Online Today

Bosch-abcpartner.com

“Bosch is the leading source of high-quality heating, cooling and hot water systems and that’s why I am only installing Bosch products on my next projects”

– MIKE HOLMES



HOLMES

APPROVED PRODUCTS



Bosch Commercial Comfort Solutions

Commercial
Products



Commercial Heating Solutions

SSB Heavy Duty Commercial Boiler

- ▶ Up to 96.8% thermal efficiency
- ▶ 10-year heat exchanger warranty and an unmatched 2-year parts warranty⁽¹⁾
- ▶ Dual 316L stainless steel heat exchangers
- ▶ Flexible installation options with a small footprint
- ▶ Connection points on either the left or right side
- ▶ 40:1 turndown capability in cascade applications
- ▶ Multi-speed circulator pump on each module
- ▶ Cascade four SSB1000's, achieve up to 4096 MBH
- ▶ 7" external touchscreen display for complete system monitoring



Bosch SSB LLH

- ▶ Dirt Separation, Air Separation, Hydraulic Separation, Magnetic Removal of Ferrous Particles
- ▶ Minimum clearance required due to compact size
- ▶ Flexible install options, left or right LLH mounting
- ▶ Increase in efficiency as each stage operates in a steady state
- ▶ Extended boiler life cycle
- ▶ Easy to repair and service
- ▶ Consistent water volume & heat transfer

Available
in 3 inch
& 5 inch



SB Industrial Grade Condensing Boiler

- ▶ Ultra High Efficiency - Up to 98%
- ▶ 544 to 5,443 MBH Output
- ▶ Pressure rating up to 80 psi
- ▶ High mass design for new construction and retrofit applications
- ▶ Titanium infused stainless steel fire tubes for long life
- ▶ NG, LP, ultra low sulfur oil & heating oil type 2
- ▶ Full-swing openings for easy inspection and service



Buderus GB162 Boiler | Condensing Wall Hung

- ▶ Efficiency of up to 93% AFUE
- ▶ For commercial, light industrial, & residential homes
- ▶ Unique pump manifold kit with insulated cover
- ▶ Cascade kits includes boiler stands, low loss header, supply & return
- ▶ Whisper quiet operations, low flue gas emissions
- ▶ No minimum flow rate
- ▶ LPG conversion kit available
- ▶ Can cascade up to 8 boilers and common vent up to 4
- ▶ 5-year parts and labor for commercial installations. Limited lifetime warranty on the heat exchanger⁽¹⁾
- ▶ Approved for PP venting



Commercial Cooling Solutions

QV

- ▶ Sound levels as low as 53 dB
- ▶ Bosch-patented noise insulation technology
- ▶ Bosch-patented compressor encapsulation
- ▶ Standard options: DuoGuard Air Coil, ECM blower motor, TXV
- ▶ Constant Airflow ECM DEC Star® blower

View in AR



LV

- ▶ ½ to 6 ton capacities
- ▶ Single stage ultra compact cabinet
- ▶ New and improved rotary & scroll compressors
- ▶ Option rich features and components



EP

- ▶ ½ to 6 ton capacities
- ▶ Single stage high efficiency
- ▶ Optional Electric heat and heat recovery features
- ▶ Optional ECM constant torque blower motors



ES

- ▶ 2 to 6 ton capacities
- ▶ Two stage compact cabinet
- ▶ Excellent replacement product for high-rises and condominiums
- ▶ Standard ECM constant CFM (Variable Speed) blower motors on all sizes



LM

- ▶ 2 to 6 ton capacities
- ▶ Two Stage High Efficiency
- ▶ Passive Dehumidification standard
- ▶ Standard ECM constant CFM (Variable Speed) blower motors



LM Split

- ▶ 2 to 6 ton capacities
- ▶ Two Stage High Efficiency
- ▶ Standard ECM constant CFM (Variable Speed) blower motors
- ▶ New consolidated product offering



EC

- ▶ 6 to 30 ton capacities
- ▶ Two stage ultra compact cabinet
- ▶ Improved scroll compressors on sizes 072 & 096
- ▶ Single blower high static pressure capabilities



MC

- ▶ 30 to 60 ton capacities
- ▶ Available in modular construction make it a great replacement for packaged floor-by-floor units (no breaking of refrigerant lines)
- ▶ Variable air volume and 100% outside air capability⁽⁴⁾
- ▶ High efficiency Scroll Compressors with multiple independent refrigeration circuits



Commercial Cooling Solutions

CA

- ▶ ¾ to 1½ ton capacities
- ▶ Quiet and compact design
- ▶ Optional motorized outdoor air damper
- ▶ Optional 63" cabinet for third party valves & pumps



WT

- ▶ 2 to 6 ton capacities
- ▶ Quiet and compact design
- ▶ Excellent option for hydronic floor/baseboard heating, hydronic forced air fan coil heating/cooling, ice and snow melting, and swimming pool/spa heating
- ▶ The industry's first two stage reverse cycle chiller water heater



WW

- ▶ 10 to 35 ton capacities
- ▶ Modular design gives you the flexibility to install units individually or in any combination
- ▶ Single or Two Stage Scroll Compressors
- ▶ Geothermal ready



Commercial Hot Water Solutions

Therm 1210

- ▶ Up to 98% thermal efficiency
- ▶ 225,000 BTU capacity and outlet temperatures up to 180F
- ▶ 12.1 gallons per min. at a 35F degree rise
- ▶ Cascade 24 to achieve capacity up to 290 GPM
- ▶ Minimum activation flow rate of 0.5 GPM
- ▶ Ultra low NOx certified
- ▶ ASME rated for commercial applications
- ▶ Built-in freeze protection
- ▶ Direct vent, with PVC, CPVC, or Polypropylene
- ▶ Concentric and twin pipe venting options
- ▶ Can be used in solar thermal, recirculation, and space heating applications
- ▶ Available in NG and LP models
- ▶ Space saving design with serviceable parts & easy access



Tronic 3000

- ▶ 98% efficient with no stand-by loss
- ▶ Ultra compact and light weight
- ▶ 360 degree installation
- ▶ No temperature / pressure relief valve is necessary (subject to local codes)
- ▶ 5-year limited warranty⁽¹⁾
- ▶ As low as 0.3 GPM activation flow rate
- ▶ Copper heat exchanger with copper-sheathed heating elements for longer life



Commercial Controls Solutions

BCC50

- ▶ Same features as BCC50 residential version, plus:
- ▶ Hot Gas Reheat Compatibility
- ▶ Passive Dehumidification
- ▶ Cool to Dehumidify



BCC100

- ▶ Same features as BCC100 residential version, plus:
- ▶ Hot Gas Reheat Compatibility
- ▶ Passive Dehumidification
- ▶ Cool to Dehumidify



ZS Sensors

- ▶ 9 available models for any application
- ▶ 96 Individually controlled elements
- ▶ Flexible Setpoint Adjustment
- ▶ Lockout feature
- ▶ Display override time remaining
- ▶ Force unoccupied mode to save energy



Control Air 5600

- ▶ 100% stand-alone control mode | BTL Listed
- ▶ Zone temperatures, leaving air and water temperatures as well as unit alarms can be monitored from a central building automation server
- ▶ Intelligent space sensors provide precision measurement and communication capabilities in an attractive low profile enclosure
- ▶ On-board battery-backed real-time clock
- ▶ Ruggedly built for quality and reliability
- ▶ Control Air M/M+ installation & service tool compatible
- ▶ Removable wiring connectors for ease of field service



BST 2.0

Bosch Select Tools 2.0 A Single Source For

- ▶ Product Selection
- ▶ Product Ratings
- ▶ Submittal
- ▶ Quotations
- ▶ Ordering



bst.bosch-thermotechnology.us/eRep/



Commercial Controls Solutions

Control Air 5830

- ▶ I/O point count: 5 digital outputs (relayed), 8 inputs (6 universal inputs and 2 optional adjustment POTS), plus 3 analog outputs
- ▶ BACnet (ARC156 and MS/TP), Modbus, and N2. Protocols and baud rates are DIP switch selectable
- ▶ LonWorks optional plug-in communications boards
- ▶ On-board battery-backed real-time clock is standard, enabling stand-alone scheduling, as well as historical trend data storage, and alarm event time-stamping
- ▶ Powerful, high-speed 16-bit processor
- ▶ 1MB Flash memory & 512 KB of battery-backed RAM
- ▶ Access ports enables full diagnostic & configuration capabilities



Control Air 6120

- ▶ I/O point count: up to 48 I/O points using the I/O Flex Ex8160
- ▶ BACnet (ARC156, MS/TP, & PTP), Modbus RTU, N2
- ▶ Powerful, high-speed 16-bit microprocessor
- ▶ 1MB Flash memory & 1MB of battery-backed RAM.
- ▶ Built-in support through an Rnet port for Bosch's custom configurable HMI (Bosch Control Air M or M+), for intelligent sensors and for local Android Tablet access
- ▶ Local Android Tablet access ports enables full diagnostic and configuration capabilities



Control Air M & M+

- ▶ Navigation with access to virtually any data point in the equipment
- ▶ Access Control – limit access to data based on credentials
- ▶ Schedule Interface – view and edit a BACnet schedule
- ▶ BACnet Object browser - of visible BACnet Objects
- ▶ On-board temperature and humidity sensor
- ▶ View the device's alarm history buffer
- ▶ Equipment mount or Wall mount
- ▶ Real-time clock



Buderus 2107 Logamatic

- ▶ Modular configuration adaptable for various applications, customize to specific requirements
- ▶ Simplified installation with color-coded plugs
- ▶ Simple day temperature setting
- ▶ Manual day/night mode override buttons
- ▶ LED indicator for system status
- ▶ Summer mode indicator light
- ▶ "Boost" function for faster system response during early morning operation
- ▶ 2107 optional upgrades: Room Sensor, Module FM241, Module FM242, Module FM244



Heatronic 4000

- ▶ Control and monitor up to 4 boilers in any combination of condensing and conventional models
- ▶ BacNet® and Modbus® compatible
- ▶ Programmable scheduling DHW priority and Outdoor temperature reset
- ▶ Compatible with modulating, single stage, two stage and dual fuel burners, for NG, LP and oil fuel types
- ▶ Pre-configured with over 20 parameters for all Bosch / Buderus commercial boilers





The Bosch eAcademy

*A convenient way to access,
view & book training courses*

We understand that our contractors are constantly on the go and need a training platform to keep them up to date on the latest technology. On a jobsite, at home or in the office, the Bosch eAcademy platform allows you to take training with you no matter where you go.



Sign-up Today

training.boschprohvac.us



Customer Service & Support

Sales Support

Residential Tel: 800-283-3787

Residential E-mail: residential.salessupport@us.bosch.com

Commercial Tel: 800-326-0000

Commercial E-mail: commercial.salessupport@us.bosch.com

Customer Support & Tech Support

Operating Hours: Mon-Thur, 8am-6pm, Fri, 8am-5pm EST

Tel: 800-283-3787

Fax: 603-965-7568

Tech Support Fax: 603-965-7581

Technical Support E-mail Addresses

AC: ac.techsupport@us.bosch.com

Furnace: furnace.techsupport@us.bosch.com

Boiler: boiler.techsupport@us.bosch.com

Tankless: tankless.techsupport@us.bosch.com

Parts Orders or Parts Inquiries E-mail Address

parts.salessupport@us.bosch.com

Warranty & Returns Support E-mail Address

warranty_returns@us.bosch.com

Addresses

65 Grove Street, Watertown, MA 02472

555 NW 65th Court, Fort Lauderdale, FL 33309

50 Wentworth Avenue, Londonderry, NH 03053

Contractor Website

ABC Program: www.bosch-abcpartner.com

Training: www.training.boschprohvac.us

Stay Connected With Bosch Like, Follow, & Subscribe



Facebook



Instagram



LinkedIn



YouTube



Bosch Thermotechnology Corp.

Watertown, MA | Londonderry, NH | Ft. Lauderdale, FL

General Inquiries: 1-866-330-2725

www.BoschHeatingAndCooling.com

70H995260I 2/23

Copyright © 2023 Bosch Thermotechnology Corp.

All rights reserved. Subject to change without notice.

(1) Please go to boschheatingandcooling.com for full warranty details

(2) Product sold separately

(3) BP012 has a PSC motor

(4) With additional engineering requirements

(5) Not available in Canada

(6) only available with IDS Premium Connected